

=> file caplus

FILE 'CAPLUS' ENTERED AT 11:21:02 ON 06 JAN 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Jan 2009 VOL 150 ISS 2
 FILE LAST UPDATED: 5 Jan 2009 (20090105/ED)


Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> d que

L4 STR



Structure attributes must be viewed using STN Express query preparation.

L6 617 SEA FILE=REGISTRY SSS FUL L4

L7 35 SEA FILE=CAPLUS L6

=> d l7 1-35 ibib abs hitstr

L7 ANSWER 1 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2008:44840 CAPLUS

DOCUMENT NUMBER: 149:556473




TITLE: Study of the cross-recyclization of
 4-aryl-2,6-diamino-3,5-dicyano-4H-thiopyrans with
 alkylating reagents

AUTHOR(S): Dyachenko, V. D.


CORPORATE SOURCE: Lugansk. Nats. Pedagog. Univ. im. T. Shevchenko,
 Luhansk, 91011, Ukraine

SOURCE: Zhurnal Organichnoi ta Farmatsevtichnoi Khimii (2007),
 5(4), 14-18
 CODEN: ZOFKAM


PUBLISHER: Natsional'nii Farmatsevtichnii Universitet
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 OTHER SOURCE(S): CASREACT 149:556473
 GI



- AB The cross-recyclization of 4-aryl-2,6-diamino-3,5-dicyano-4H-thiopyrans I [Ar = 4-MeOC₆H₄, 4-EtOC₆H₄, 3,4-(MeO)₂C₆H₃, 3-MeO-4-PhCH₂OC₆H₃] with α-bromoketones R₁COCH₂Br (R₁ = cyclopropyl, 4-BrC₆H₄, coumarin-3-yl, etc.) or with chloroacetic acid derivs. R₂COCH₂Cl (R₂ = NH₂, PhCH₂O) afforded the substituted 3-aryl-2-(thiazol-2-yl)acrylonitriles II and thieno[2,3-b]pyridines III, resp.
- IT 309266-85-1P 361478-09-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of [aryl(cyano)vinyl]thiazoles and
 diamino(cyano)thieno[2,3-b]pyridines via cross-recyclization of
 aryl(diamino)dicyano-4H-thiopyrans with α-bromoketones,
 chloroacetamide or chloroacetate)
- RN 309266-85-1 CAPLUS
- CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)-, phenylmethyl ester (CA
 INDEX NAME)



RN 361478-09-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)- (CA INDEX NAME)




L7 ANSWER 2 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2007:1170553 CAPLUS
 DOCUMENT NUMBER: 148:23751
 TITLE: A novel class of Hsp90 inhibitors isolated by structure-based virtual screening
 AUTHOR(S): Park, Hwangseo; Kim, Yun-Jung; Hahn, Ji-Sook
 CORPORATE SOURCE: Department of Bioscience and Biotechnology, Sejong University, 98 Kunja-dong, Gwangjin-gu, Seoul, 143-747, S. Korea
 SOURCE: Bioorganic & Medicinal Chemistry Letters (2007), 17(22), 6345-6349
 CODEN: BMCLE8; ISSN: 0960-894X
 PUBLISHER: Elsevier Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB A novel class of 3-phenyl-2-styryl-3H-quinazolin-4-one Hsp90 inhibitors with in vitro anti-tumor activity are identified by structure-based virtual screening of a chemical database with docking simulations in the N-terminal ATP-binding site, in vitro ATPase assay using yeast Hsp90, and cell-based Her2 degradation assay in a consecutive fashion. These results exemplify the usefulness of the structure-based virtual screening with mol. docking in drug discovery. The structural features responsible for a tight binding of the inhibitors in the active site of Hsp90 are discussed in detail.
 IT 959123-12-7
 RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(novel class of Hsp90 inhibitors isolated by structure-based virtual screening)

RN 959123-12-7 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile, 3,6-diamino-4-(4-methoxyphenyl)-
(CA INDEX NAME)



REFERENCE COUNT: 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 3 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2007:748488 CAPLUS

DOCUMENT NUMBER: 148:585768

TITLE: Cross-recyclization of
4-aryl-2,6-diamino-3,5-dicyano-4H-thiopyrans with
alkylation reagents

AUTHOR(S): Dyachenko, V. D.; Ryl'skaya, T. A.; Savchuk, S. V.

CORPORATE SOURCE: Kharkov univ., Kharkov, Ukraine

SOURCE: Visnik Kharkivs'kogo Natsional'noho Universitetu im.
V. N. Karazina (2006), 731, 86-89

CODEN: VKNUAK





PUBLISHER: Kharkivs'kii Natsional'nii Universitet im. V. N.
Karazina

DOCUMENT TYPE: Journal


LANGUAGE: Russian

OTHER SOURCE(S): CASREACT 148:585768

GI



- AB Substituted 3-aryl-2-(thiazol-2-yl)acrylonitriles I (R1 = 4-FC6H4, 4-Me2CHC6H4, 1-naphthyl; R2 = cyclopropyl, Ph, 4-ClC6H4, 2-thienyl, 3-coumarinyl, etc.), pyridinedinitrile II (R1 = 3-ClC6H4) and thieno[2,3-b]pyridine III (R1 = 4-Me2CHC6H4) were synthesized via cross-recyclization of thiopyrans IV with α -bromoketones R2COCH2Br, acetic anhydride or chloroacetamide, resp. The compds. I were also prepared by condensation of the corresponding 2-(cyanomethyl)-4-R2-1,3-thiazoles with aromatic aldehydes R1CHO.
- IT 476319-10-5P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of aryl(thiazolyl)acrylonitriles, pyridinedinitrile and thieno[2,3-b]pyridine via cross-recyclization of aryl(diamino)dicyanothiopyrans with α -bromoketones, Ac2O or chloroacetamide)
- RN 476319-10-5 CAPLUS
- CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[4-(1-methylethyl)phenyl]- (CA INDEX NAME)




- L7 ANSWER 4 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
- ACCESSION NUMBER: 2007:595589 CAPLUS
- DOCUMENT NUMBER: 148:495896
- TITLE: A novel synthesis of pyridine-2(1H)-thione, pyrazolo[3,4-b]pyridine, pyrido[2',3':3,4]pyrazolo[1,5-a]pyrimidine, thieno[2,3-b]pyridine, and pyrido[3',2':4,5]thieno[3,2-d]pyrimidine derivatives containing a naphthyl moiety
- AUTHOR(S): Abdel Fattah, Azza M.; Elneairy, Mohamed A. A.; Gad-Elkareem, Mohamed A. M.
- CORPORATE SOURCE: Chemistry Department, Cairo University, Giza, Egypt
- SOURCE: Phosphorus, Sulfur and Silicon and the Related Elements (2007), 182(6), 1351-1364
 CODEN: PSSLEC; ISSN: 1042-6507
- PUBLISHER: Taylor & Francis, Inc.
- DOCUMENT TYPE: Journal
- LANGUAGE: English
- OTHER SOURCE(S): CASREACT 148:495896
- AB 6-Amino-4-naphthyl-2-thioxo-1,2-dihydropyridine-3,5-dicarbonitriles (I) were synthesized from naphthaldehydes and cyanothioacetamide. I were used as starting materials for the synthesis of the title compds. All structures of the newly synthesized heterocyclic compds. were established on the basis of IR, ¹H NMR, ¹³C NMR, mass spectra, and elemental analyses.
- IT 1021299-99-9P 1021300-00-4P 1021300-01-5P


1021300-02-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)(preparation of pyridine-2(1H)-thione, pyrazolo[3,4-b]pyridines,
pyrido[2',3':3,4]pyrazolo[1,5-a]pyrimidines, thieno[2,3-b]pyridines,
and pyrido[3',2':4,5]thieno[3,2-d]pyrimidines containing a naphthyl moiety)


RN 1021299-99-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3,6-diamino-5-cyano-4-(1-naphthalenyl)-, ethyl ester (CA INDEX NAME)

RN 1021300-00-4 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3,6-diamino-5-cyano-4-(2-naphthalenyl)-, ethyl ester (CA INDEX NAME)

RN 1021300-01-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(1-naphthalenyl)- (CA INDEX NAME)

RN 1021300-02-6 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(2-naphthalenyl)- (CA INDEX NAME)




IT 1021300-05-9P 1021300-06-0P 1021300-07-1P
 1021300-08-2P 1021300-09-3P 1021300-10-6P
 1021300-11-7P 1021300-12-8P 1021300-13-9P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of pyridine-2(1H)-thione, pyrazolo[3,4-b]pyridines,
 pyrido[2',3':3,4]pyrazolo[1,5-a]pyrimidines, thieno[2,3-b]pyridines,
 and pyrido[3',2':4,5]thieno[3,2-d]pyrimidines containing a naphthyl moiety)


RN 1021300-05-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3,6-diamino-5-cyano-4-(1-naphthalenyl)-, hydrazide (CA INDEX NAME)



RN 1021300-06-0 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3,6-diamino-5-cyano-4-(2-naphthalenyl)-, hydrazide (CA INDEX NAME)




RN 1021300-07-1 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3,6-diamino-2-benzoyl-4-(1-naphthalenyl)- (CA INDEX NAME)


10/574,788



RN 1021300-08-2 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3,6-diamino-2-(4-chlorobenzoyl)-4-(1-naphthalenyl)- (CA INDEX NAME)




RN 1021300-09-3 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3,6-diamino-2-benzoyl-4-(2-naphthalenyl)- (CA INDEX NAME)




RN 1021300-10-6 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3,6-diamino-2-(4-chlorobenzoyl)-4-(2-naphthalenyl)- (CA INDEX NAME)

10/574,788




RN 1021300-11-7 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
2-acetyl-3,6-diamino-4-(1-naphthalenyl)- (CA INDEX NAME)




RN 1021300-12-8 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
2-acetyl-3,6-diamino-4-(2-naphthalenyl)- (CA INDEX NAME)



RN 1021300-13-9 CAPLUS

CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3,6-diamino-4-(1-naphthalenyl)-
(CA INDEX NAME)



REFERENCE COUNT: 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 5 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2007:541708 CAPLUS

DOCUMENT NUMBER: 148:426837

TITLE: Reactions with 3,6-diaminothieno[2,3-b]pyridines: synthesis and characterization of several new fused pyridine heterocycles

AUTHOR(S): Gad-Elkareem, Mohamed A. M.; Elneairy, Mohamed A. A.; Taha, Adel M.

CORPORATE SOURCE: Department of Chemistry, Faculty of Science, Al-Azhar University (Assiut Branch), Assiut, 71524, Egypt

SOURCE: Heteroatom Chemistry (2007), 18(4), 405-413

CODEN: HETCE8; ISSN: 1042-7163

PUBLISHER: John Wiley & Sons, Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 148:426837

AB 6-Aminopyridine-2(1H)thiones reacting with α -halo compds. afforded the alkylthiopyridine derivs. which in turn cyclized to thieno[2,3-b]pyridine derivs. (I). Several thieno[2,3-b]pyridine derivs., pyrido[3',2':4,5]thieno[3,2-d]pyrimidine derivs., and pyrido[3',2':4,5]thieno[3,2-c]pyridazine derivs. were prepared starting from I.

IT 299464-98-5P 476319-02-5P 1017623-23-2P


1017623-24-3P 1017623-25-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis of new fused pyridine heterocycles via reactions with 3,6-diaminothieno[2,3-b]pyridines)

RN 299464-98-5 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-(4-methoxyphenyl)- (CA INDEX NAME)



10/574,788


RN 476319-02-5 CAPLUS

CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3,6-diamino-4-(4-methoxyphenyl)-
(CA INDEX NAME)




RN 1017623-23-2 CAPLUS

CN Methanimidamide, N'-[2,5-dicyano-3-[(dimethylamino)methylene]amino]-4-(4-methoxyphenyl)thieno[2,3-b]pyridin-6-yl]-N,N-dimethyl- (CA INDEX NAME)




RN 1017623-24-3 CAPLUS

CN Methanimidamide, N'-[2-acetyl-3-amino-5-cyano-4-(4-methoxyphenyl)thieno[2,3-b]pyridin-6-yl]-N,N-dimethyl- (CA INDEX NAME)




RN 1017623-25-4 CAPLUS

CN Methanimidamide, N'-[2-acetyl-5-cyano-3-[(dimethylamino)methylene]amino]-4-(4-methoxyphenyl)thieno[2,3-b]pyridin-6-yl]-N,N-dimethyl- (CA INDEX NAME)



IT 299464-97-4P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (synthesis of new fused pyridine heterocycles via reactions with
 3,6-diaminothieno[2,3-b]pyridines)
 RN 299464-97-4 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 2-acetyl-3,6-diamino-4-(4-methoxyphenyl)- (CA INDEX NAME)




REFERENCE COUNT: 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L7 ANSWER 6 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2007:380062 CAPLUS
 DOCUMENT NUMBER: 148:403161
 TITLE: Pyridopyrimidines, pyrazolopyrimidines,
 pyridothienopyrimidines and pyridothienotriazines.
 Synthesis and biological activity
 AUTHOR(S): Quintela, Jose Maria; Peinador, Carlos
 CORPORATE SOURCE: Departamento de Quimica Fundamental, Universidad de A
 Coruna, A Coruna, E-15071, Spain
 SOURCE: Trends in Heterocyclic Chemistry (2005), 10, 97-114
 CODEN: TIHC6; ISSN: 0972-432X
 PUBLISHER: Research Trends
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 148:403161
 AB The synthesis of pyridopyrimidines, pyrazolopyrimidines,
 pyridothienopyrimidines, pyridothienotriazines and
 pyridodithienoditriazines and their evaluation as inhibitors or inducers
 of the release of histamine is reported. The activity was measured under
 immunol. and chemical stimulus with polymer 48/80 and the drugs adryamicin
 and vinorelbine. The expts. were carried out with and without

preincubation of the stimulus with the cells before addition of the drug.
 Their antitumor activity have been tested in vitro against standard P-388,
 A-549, HT-29 and MEL-28 tumor cell lines.


IT 157332-06-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation and biol. activity of pyridopyrimidines, pyrazolopyrimidines,
 pyridothienopyrimidines and pyridothienotriazines)
 RN 157332-06-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3-amino-6-ethoxy-4-phenyl- (CA
 INDEX NAME)



IT 217954-46-6P 1015790-68-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and biol. activity of pyridopyrimidines, pyrazolopyrimidines,
 pyridothienopyrimidines and pyridothienotriazines)
 RN 217954-46-6 CAPLUS
 CN Carbamimidic chloride, N'-(2,5-dicyano-6-ethoxy-4-phenylthieno[2,3-
 b]pyridin-3-yl)-N,N-dimethyl- (CA INDEX NAME)



RN 1015790-68-7 CAPLUS
 CN Methanimidamide, N'-(2,5-dicyano-6-ethoxy-4-phenylthieno[2,3-b]pyridin-3-
 yl)-N,N-dimethyl- (CA INDEX NAME)




REFERENCE COUNT: 78 THERE ARE 78 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 7 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2006:1250604 CAPLUS
 DOCUMENT NUMBER: 146:27850
 TITLE: Preparation of thieno[2,3-b]pyridines as HSP90
 modulators
 INVENTOR(S): Eggenweiler, Hans-Michael; Wolf, Michael

PATENT ASSIGNEE(S): Merck Patent GmbH, Germany
 SOURCE: PCT Int. Appl., 97pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006125531	A2	20061130	WO 2006-EP4426	20060511
WO 2006125531	A3	20070412		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA			
DE 102005024245	A1	20061130	DE 2005-102005024245	20050527
AU 2006251420	A1	20061130	AU 2006-251420	20060511
CA 2609385	A1	20061130	CA 2006-2609385	20060511
EP 1888593	A2	20080220	EP 2006-724792	20060511
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
JP 2008542213	T	20081127	JP 2008-512724	20060511
CN 101163707	A	20080416	CN 2006-80013825	20071024
MX 200714720	A	20080215	MX 2007-14720	20071123
IN 2007KN04835	A	20080215	IN 2007-KN4835	20071212
KR 2008021054	A	20080306	KR 2007-730243	20071226
PRIORITY APPLN. INFO.:			DE 2005-102005024245A	20050527
			WO 2006-EP4426	W 20060511
OTHER SOURCE(S):	MARPAT 146:27850			
GI				



- AB Title compds. I [Y = OH, SH, NH₂, etc.; R₁ = halo, OH, SH, etc.; R₂, R₃ = NHCO(X)s-Q, CONH(X)s-Q, NHCONH(X)s-Q, etc.; X = (un)substituted alkenyl with provisios; s = 0-1; R₄ = H, halo, CN, etc.] and their pharmaceutically acceptable salts were prepared. For example, N-acylation of amine II with 3-(trifluoromethyl)benzoyl chloride afforded claimed thieno[2,3-b]pyridine III. In HSP90 receptor binding assays, 4-examples of compds. I exhibited IC₅₀ values ranging from 11-1.9x10⁻⁶ M.
- IT 916164-09-5P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(3-trifluoromethylbenzoylamino)phenyl]thieno[2,3-b]pyridine
 916164-10-8P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(4-methoxy-3-acetamidophenyl)thieno[2,3-b]pyridine 916164-11-9P,
 2-(Aminocarbonyl)-3,6-diamino-5-cyano-4-(4-methoxy-3-(trifluoroacetamido)phenyl)thieno[2,3-b]pyridine 916164-12-0P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(4-methoxycarbonylbutylamino)phenyl]thieno[2,3-b]pyridine
 916164-13-1P 916164-14-2P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(4-(methoxycarbonyl)benzoylamino)phenyl]thieno[2,3-b]pyridine
 916164-15-3P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(2-methoxycarbonylmethoxyacetamido)phenyl]thieno[2,3-b]pyridine
 916164-16-4P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-((3-(trifluoromethyl)phenyl)sulfonyl)amino]phenyl]thieno[2,3-b]pyridine
 916164-17-5P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(4-carboxybutylamino)phenyl]thieno[2,3-b]pyridine 916164-18-6P
 , 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(4-carboxybenzoylamino)phenyl]thieno[2,3-b]pyridine 916164-19-7P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(2-carboxymethoxyacetamido)phenyl]thieno[2,3-b]pyridine 916164-20-0P
 , 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[2-[(tert-butylloxycarbonyl)amino]acetamido]phenyl]thieno[2,3-b]pyridine
 916164-21-1P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[3-[(tert-butylloxycarbonyl)amino]propionyl]amino]phenyl]thieno[2,3-

b]pyridine 916164-22-2P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[4-[(tert-butylloxycarbonyl)amino]butyryl]amino]phenyl]thieno[2,3-b]pyridine 916164-23-3P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(indol-7-ylcarbonylamino)phenyl]thieno[2,3-b]pyridine 916164-24-4P,
 (S)-2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-[(tert-butylloxycarbonyl)amino]-3-(1H-imidazol-4-yl)propionyl]amino]phenyl]thieno[2,3-b]pyridine 916164-25-5P,
 (S)-2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-[(tert-butylloxycarbonyl)amino]-3-aminocarbonylpropionyl]amino]phenyl]thieno[2,3-b]pyridine 916164-26-6P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-(2-Carbamoylacetyl)amino]acetyl]amino]phenyl]thieno[2,3-b]pyridine 916164-27-7P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(indazol-7-ylcarbonylamino)phenyl]thieno[2,3-b]pyridine 916164-28-8P, (S)-2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-[(tert-butylloxycarbonyl)amino]-3-(tert-butyl)propionyl]amino]phenyl]thieno[2,3-b]pyridine 916164-29-9P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(3-aminopropionylamino)phenyl]thieno[2,3-b]pyridine 916164-32-4P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(4-aminobutyrylamino)phenyl]thieno[2,3-b]pyridine 916164-33-5P,
 (S)-2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-amino-3-(1H-imidazol-4-yl)propionyl]amino]phenyl]thieno[2,3-b]pyridine 916164-34-6P, (S)-2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-amino-3-aminocarbonylpropionyl]amino]phenyl]thieno[2,3-b]pyridine 916164-35-7P, (S)-2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(2-amino-3-hydroxypropionylamino)phenyl]thieno[2,3-b]pyridine 916164-36-8P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-2-(3-(trifluoromethyl)phenyl)ureido]phenyl]thieno[2,3-b]pyridine 916164-37-9P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(4-methoxy-2-benzoylamino)phenyl]thieno[2,3-b]pyridine 916164-38-0P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-2-(3-carbamoylpropionylamino)phenyl]thieno[2,3-b]pyridine 916164-39-1P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-2-[[2-(phenylsulfonyl)acetyl]amino]phenyl]thieno[2,3-b]pyridine 916164-40-4P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-2-[[2-(3-ethylureido)ethyl]carbamoyl]phenyl]thieno[2,3-b]pyridine 916164-41-5P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-(indazol-7-ylcarbonyl)phenyl]thieno[2,3-b]pyridine 916164-42-6P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[5-chloro-3-(3-carbamoylpropylcarbamoyl)phenyl]thieno[2,3-b]pyridine 916164-43-7P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(3-fluorobenzyl)phenyl]thieno[2,3-b]pyridine 916164-44-8P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-chloro-4-methoxy-2-[[2-(pyridin-2-yl)ethyl]phenyl]thieno[2,3-b]pyridine 916164-45-9P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(2-carboxyethyl)phenyl]thieno[2,3-b]pyridine 916164-46-0P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[2-(4-methylpiperazin-1-yl)ethoxy]phenyl]thieno[2,3-b]pyridine 916164-47-1P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-[3-(2-aminoacetyl)amino]phenyl]phenyl]thieno[2,3-b]pyridine 916164-48-2P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-chloro-2-(4-methoxycarbonylbutyrylamino)phenyl]thieno[2,3-b]pyridine 916164-49-3P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-chloro-2-(4-carboxybutyrylamino)phenyl]thieno[2,3-b]pyridine 916164-50-6P 916164-51-7P,
 2-((2-(Morpholin-4-yl)ethyl)carbamoyl)-3,6-diamino-5-cyano-4-[2-(4-carboxybutyrylamino)phenyl]thieno[2,3-b]pyridine 916164-52-8P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[2-


(benzyloxycarbonylamino)phenyl]thieno[2,3-b]pyridine 916164-53-9P
 , 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(4-trifluoromethylbenzoylamino)phenyl]thieno[2,3-b]pyridine
 916164-54-0P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(2-trifluoromethylbenzoylamino)phenyl]thieno[2,3-b]pyridine
 916164-55-1P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[4-methoxy-3-(pyridin-4-ylcarbonylamino)phenyl]thieno[2,3-b]pyridine
 916164-56-2P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of thieno[2,3-b]pyridines as HSP90 modulators)


RN 916164-09-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[4-methoxy-3-[[3-(trifluoromethyl)benzoyl]amino]phenyl]- (CA INDEX NAME)




RN 916164-10-8 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
 4-[3-(acetylamino)-4-methoxyphenyl]-3,6-diamino-5-cyano- (CA INDEX NAME)




RN 916164-11-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[4-methoxy-3-[(2,2,2-trifluoroacetyl)amino]phenyl]- (CA INDEX NAME)




RN 916164-12-0 CAPLUS

CN Pentanoic acid, 5-[[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-5-oxo-, methyl ester (CA INDEX NAME)




RN 916164-13-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-[3-[[[1,2-dihydro-2-oxo-4-pyridinyl]carbonyl]amino]-4-methoxyphenyl]- (CA INDEX NAME)




RN 916164-14-2 CAPLUS

CN Benzoic acid, 4-[[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]carbonyl]-, methyl ester (CA INDEX NAME)




RN 916164-15-3 CAPLUS

CN Acetic acid, 2-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-2-oxoethoxy]-, methyl ester (CA INDEX NAME)




RN 916164-16-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-[[4-methoxy-3-[[3-(trifluoromethyl)phenyl]sulfonyl]amino]phenyl]- (CA INDEX NAME)




RN 916164-17-5 CAPLUS

CN Pentanoic acid, 5-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-5-oxo- (CA INDEX NAME)




RN 916164-18-6 CAPLUS

CN Benzoic acid, 4-[[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]carbonyl]- (CA INDEX NAME)




RN 916164-19-7 CAPLUS

CN Acetic acid, 2-[2-[[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-2-oxoethoxy]- (CA INDEX NAME)




RN 916164-20-0 CAPLUS

CN Carbamic acid, N-[2-[[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-2-oxoethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 916164-21-1 CAPLUS

CN Carbamic acid, N-[3-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-3-oxopropyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 916164-22-2 CAPLUS

CN Carbamic acid, N-[4-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-4-oxobutyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 916164-23-3 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-[3-[(1H-indol-7-ylcarbonyl)amino]-4-methoxyphenyl]- (CA INDEX NAME)



RN 916164-24-4 CAPLUS

CN Carbamic acid, N-[(1S)-2-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-1-(1H-imidazol-5-ylmethyl)-2-oxoethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)


Absolute stereochemistry.



RN 916164-25-5 CAPLUS


CN Carbamic acid, N-[(1S)-3-amino-1-[[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]carbonyl]-3-oxopropyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)

Absolute stereochemistry.




RN 916164-26-6 CAPLUS

CN Propanediamide, N1-[2-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-2-oxoethyl]- (CA INDEX NAME)



RN 916164-27-7 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-[3-[(1H-indazol-7-ylcarbonyl)amino]-4-methoxyphenyl]- (CA INDEX NAME)




RN 916164-28-8 CAPLUS

CN Carbamic acid, N-[(1S)-2-[[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]amino]-1-[(1,1-dimethylethoxy)methyl]-2-oxoethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)

10/574,788


NAME)

Absolute stereochemistry.




RN 916164-29-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[(3-amino-1-oxopropyl)amino]-4-methoxyphenyl]-5-cyano-
(CA INDEX NAME)



RN 916164-32-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[(4-amino-1-oxobutyl)amino]-4-methoxyphenyl]-5-cyano-
(CA INDEX NAME)




10/574,788

RN 916164-33-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[[(2S)-2-amino-3-(1H-imidazol-5-yl)-1-oxopropyl]amino]-4-methoxyphenyl]-5-cyano- (CA INDEX NAME)


Absolute stereochemistry.



RN 916164-34-6 CAPLUS

CN Butanediamide, 2-amino-N1-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenyl]-, (2S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 916164-35-7 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[[(2S)-2-amino-3-hydroxy-1-oxopropyl]amino]-4-methoxyphenyl]-5-cyano- (CA INDEX NAME)

Absolute stereochemistry.




RN 916164-36-8 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[[[3-(4-methoxyphenyl)amino]carbonyl]amino]phenyl]- (CA INDEX NAME)




RN 916164-37-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[2-(benzoylamino)-4-methoxyphenyl]-5-cyano- (CA INDEX NAME)




RN 916164-38-0 CAPLUS

CN Butanediamide, N1-[2-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-5-methoxyphenyl]- (CA INDEX NAME)




RN 916164-39-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[[4-methoxy-2-[[2-
(phenylsulfonyl)acetyl]amino]phenyl]- (CA INDEX NAME)




RN 916164-40-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[2-[[2-
[[(ethylamino)carbonyl]amino]ethyl]amino]carbonyl]-4-methoxyphenyl]- (CA
INDEX NAME)




RN 916164-41-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[3-[(1H-indazol-7-ylamino)carbonyl]phenyl]- (CA
INDEX NAME)




RN 916164-42-6 CAPLUS

CN Thieno[2,3-*b*]pyridine-2-carboxamide,
3,6-diamino-4-[3-[[4-amino-4-oxobutyl]amino]carbonyl]-5-chlorophenyl]-5-
cyano- (CA INDEX NAME)




RN 916164-43-7 CAPLUS

CN Thieno[2,3-*b*]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[3-[(3-fluorophenyl)methyl]-4-methoxyphenyl]- (CA
INDEX NAME)




RN 916164-44-8 CAPLUS

CN Thieno[2,3-*b*]pyridine-2-carboxamide,
3,6-diamino-4-[3-chloro-4-methoxy-2-[2-(2-pyridinyl)ethyl]phenyl]-5-cyano-
(CA INDEX NAME)




RN 916164-45-9 CAPLUS

CN Benzenepropanoic acid, 5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxy- (CA INDEX NAME)




RN 916164-46-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[2-(4-methyl-1-piperazinyl)ethoxy]phenyl]- (CA INDEX NAME)


RN 916164-47-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3'-[(2-aminoacetyl)amino]-6-methoxy[1,1'-biphenyl]-3-yl]-5-cyano- (CA INDEX NAME)




RN 916164-48-2 CAPLUS

CN Pentanoic acid, 5-[[2-chloro-6-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-3-methoxyphenyl]amino]-5-oxo-, methyl ester (CA INDEX NAME)




RN 916164-49-3 CAPLUS

CN Pentanoic acid, 5-[[2-chloro-6-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-3-methoxyphenyl]amino]-5-oxo- (CA INDEX NAME)




RN 916164-50-6 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-4-[2-chloro-4-(difluoromethoxy)-3-[[3-(4-methyl-1-piperazinyl)-1-oxopropyl]amino]phenyl]-5-cyano- (CA INDEX NAME)




RN 916164-51-7 CAPLUS

CN Pentanoic acid, 5-[[2-[[3,6-diamino-5-cyano-2-[[[2-(4-morpholinyl)ethyl]amino]carbonyl]thieno[2,3-b]pyridin-4-yl]phenyl]amino]-5-oxo- (CA INDEX NAME)




RN 916164-52-8 CAPLUS

CN Carbamic acid, N-[2-[[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]phenyl]-, phenylmethyl ester (CA INDEX NAME)




RN 916164-53-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-[[4-methoxy-3-[[4-(trifluoromethyl)benzoyl]amino]phenyl]- (CA INDEX NAME)




RN 916164-54-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-(trifluoromethyl)benzoyl]amino]phenyl]- (CA INDEX NAME)




RN 916164-55-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[(4-pyridinylcarbonyl)amino]phenyl]- (CA INDEX NAME)




RN 916164-56-2 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[(2-methyl-1-oxopropyl)amino]phenyl]- (CA INDEX NAME)



IT 916164-58-4P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(4-methoxy-3-nitrophenyl)thieno[2,3-b]pyridine 916164-59-5P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-amino-4-methoxyphenyl)thieno[2,3-b]pyridine
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of thieno[2,3-b]pyridines as HSP90 modulators)
 RN 916164-58-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(4-methoxy-3-nitrophenyl)- (CA INDEX NAME)



RN 916164-59-5 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-4-(3-amino-4-methoxyphenyl)-5-cyano- (CA INDEX NAME)



REFERENCE COUNT:


2

THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 8 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2006:1226146 CAPLUS
 DOCUMENT NUMBER: 146:13164
 TITLE: Nitrogen-containing heterocyclic compounds as
 inhibitors of B-Raf kinase
 INVENTOR(S): Gahman, Timothy C.; Lang, Hengyuan; Davis, Robert L.;
 Scranton, Shawn A.
 PATENT ASSIGNEE(S): Kalypsys, Inc., USA
 SOURCE: PCT Int. Appl., 114pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006124874	A2	20061123	WO 2006-US18885	20060511
WO 2006124874	A3	20070405		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA				
PRIORITY APPLN. INFO.:				
			US 2005-680288P	P 20050512
			US 2005-680290P	P 20050512
			US 2005-680291P	P 20050512
			US 2005-680292P	P 20050512
			US 2005-680293P	P 20050512
			US 2005-680294P	P 20050512
			US 2005-680327P	P 20050512

OTHER SOURCE(S): MARPAT 146:13164
 AB The present invention relates to compds. and methods useful as inhibitors
 of B-Raf for the treatment or prevention of cancer, including hematol. and
 non-hematol. malignancies, hematopoiesis, autoimmune diseases, dermatol.
 and ophthalmol. conditions.
 IT 331984-47-5
 RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)
 (nitrogen-containing heterocyclic compds. as inhibitors of B-Raf kinase)
 RN 331984-47-5 CAPLUS
 CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3,6-diamino-4-phenyl- (CA INDEX
 NAME)



L7 ANSWER 9 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2006:912926 CAPLUS
 DOCUMENT NUMBER: 145:292880
 TITLE: Preparation of thienopyridines as heat shock protein
 HSP-90 modulators
 INVENTOR(S): Eggenweiler, Hans-Michael; Wolf, Michael
 PATENT ASSIGNEE(S): Merck Patent G.m.b.H., Germany
 SOURCE: Ger. Offen., 80pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 102005009440	A1	20060907	DE 2005-102005009440	20050302
AU 2006220095	A1	20060908	AU 2006-220095	20060210
CA 2599826	A1	20060908	CA 2006-2599826	20060210
WO 2006092202	A1	20060908	WO 2006-EP1178	20060210
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
EP 1853609	A1	20071114	EP 2006-706808	20060210
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
JP 2008531611	T	20080814	JP 2007-557355	20060210
MX 200710562	A	20071104	MX 2007-10562	20070829
CN 101133063	A	20080227	CN 2006-80006570	20070830
KR 2007107092	A	20071106	KR 2007-719900	20070831
IN 2007KN03649	A	20080530	IN 2007-KN3649	20070927
PRIORITY APPLN. INFO.:			DE 2005-102005009440A	20050302
			WO 2006-EP1178	W 20060210
OTHER SOURCE(S):		CASREACT 145:292880; MARPAT 145:292880		
GI				



- AB Title compds. I [Y = OH, SH, NH₂, etc.; R₁ = halo, OH, SH, etc.; R₂ = H, halo, etc.; R₃ = H, halo, CN, etc.] and their pharmaceutically acceptable salts and formulations were prepared. For example, condensation-cyclization of chloroacetamide and thioxopyridine II afforded claimed thienopyridine III. Compds. I are claimed to be modulators of shock protein HSP-90 (no data provided).
- IT 309291-64-3P, 2-Methoxycarbonyl-3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)thieno[2,3-b]pyridine 328109-88-2P, 2-Ethoxycarbonyl-3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)thieno[2,3-b]pyridine 331984-46-4P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-phenylthieno[2,3-b]pyridine 351166-68-2P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3,4,5-trimethoxyphenyl)thieno[2,3-b]pyridine 361478-09-3P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)thieno[2,3-b]pyridine 383156-16-9P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(4-chlorophenyl)thieno[2,3-b]pyridine 908590-80-7P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2,4-dimethoxyphenyl)thieno[2,3-b]pyridine 908590-81-8P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2,5-dimethoxyphenyl)thieno[2,3-b]pyridine 908590-82-9P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2,3-dimethoxyphenyl)thieno[2,3-b]pyridine 908590-83-0P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4-methoxyphenyl)thieno[2,3-b]pyridine 908590-84-1P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2,4,5-trimethoxyphenyl)thieno[2,3-b]pyridine 908590-85-2P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2,3,4-trimethoxyphenyl)thieno[2,3-b]pyridine 908590-86-3P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-hydroxyphenyl)thieno[2,3-b]pyridine 908590-87-4P, 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4-

trifluoromethoxyphenyl)thieno[2,3-b]pyridine 908590-88-5P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4-methylsulfanyphenyl)thieno[2,3-b]pyridine 908590-89-6P,
 2-(N-Methylaminocarbonyl)-3,6-diamino-5-cyano-4-(3-hydroxy-4-methoxyphenyl)thieno[2,3-b]pyridine 908590-90-9P,
 2-(N-Methylaminocarbonyl)-3,6-diamino-5-cyano-4-(3-hydroxyphenyl)thieno[2,3-b]pyridine 908590-91-0P,
 2-(N-Methylaminocarbonyl)-3,6-diamino-5-cyano-4-(3-hydroxy-4-trifluoromethoxyphenyl)thieno[2,3-b]pyridine 908590-92-1P,
 2-(N-Methylaminocarbonyl)-3,6-diamino-5-cyano-4-(3-hydroxy-4-methylsulfanyphenyl)thieno[2,3-b]pyridine 908590-93-2P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4,5-dimethoxyphenyl)thieno[2,3-b]pyridine 908590-94-3P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2-bromo-5-hydroxyphenyl)thieno[2,3-b]pyridine 908590-95-4P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(4-difluoromethoxy-3-hydroxyphenyl)thieno[2,3-b]pyridine 908590-96-5P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(4-methyl-3-hydroxyphenyl)thieno[2,3-b]pyridine 908590-97-6P 908590-98-7P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-(4-(ethoxycarbonyl)butoxy)-4-methoxyphenyl]thieno[2,3-b]pyridine 908590-99-8P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-(4-(carboxy)butoxy)-4-methoxyphenyl]thieno[2,3-b]pyridine 908591-00-4P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-(5-(carboxy)pentoxy)-4-methoxyphenyl]thieno[2,3-b]pyridine 908591-01-5P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-(3-(ethoxycarbonyl)propoxy)-4-methoxyphenyl]thieno[2,3-b]pyridine 908591-02-6P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-[3-(3-(carboxy)propoxy)-4-methoxyphenyl]thieno[2,3-b]pyridine 908591-03-7P,
 2-Methoxycarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4-methoxyphenyl)thieno[2,3-b]pyridine 908591-04-8P,
 2-Methoxycarbonyl-3,6-diamino-5-cyano-4-(3-hydroxyphenyl)thieno[2,3-b]pyridine 908591-05-9P,
 2-Methoxycarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4-trifluoromethoxyphenyl)thieno[2,3-b]pyridine 908591-06-0P,
 2-Methoxycarbonyl-3,6-diamino-5-cyano-4-(3-hydroxy-4-methylsulfanyphenyl)thieno[2,3-b]pyridine 908591-07-1P
 908591-08-2P 908591-09-3P 908591-10-6P
 908591-11-7P 908591-12-8P 908591-13-9P
 908591-14-0P 908591-15-1P 908591-16-2P
 908591-17-3P 908591-18-4P 908591-19-5P
 908591-20-8P 908591-21-9P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2-methoxyphenyl)thieno[2,3-b]pyridine 908591-22-0P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2,4-dichlorophenyl)thieno[2,3-b]pyridine 908591-23-1P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(3-chlorophenyl)thieno[2,3-b]pyridine 908591-24-2P,
 2-Aminocarbonyl-3,6-diamino-5-cyano-4-(2-chlorophenyl)thieno[2,3-b]pyridine


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of thienopyridines as heat shock protein HSP-90 modulators)

RN 309291-64-3 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)-, methyl ester (CA INDEX NAME)

10/574,788




RN 328109-88-2 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)-, ethyl ester (CA INDEX NAME)



RN 331984-46-4 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-phenyl- (CA INDEX NAME)




RN 351166-68-2 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(3,4,5-trimethoxyphenyl)- (CA INDEX NAME)


10/574,788




RN 361478-09-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)- (CA INDEX NAME)



RN 383156-16-9 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-4-(4-chlorophenyl)-5-cyano- (CA INDEX NAME)




RN 908590-80-7 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(2,4-dimethoxyphenyl)- (CA INDEX NAME)




RN 908590-81-8 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(2,5-dimethoxyphenyl)- (CA INDEX NAME)



RN 908590-82-9 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(2,3-dimethoxyphenyl)- (CA INDEX NAME)




RN 908590-83-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(3-hydroxy-4-methoxyphenyl)- (CA INDEX NAME)


10/574,788




RN 908590-84-1 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(2,4,5-trimethoxyphenyl)- (CA INDEX NAME)




RN 908590-85-2 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(2,3,4-trimethoxyphenyl)- (CA INDEX NAME)




RN 908590-86-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3-hydroxyphenyl)- (CA INDEX NAME)



RN 908590-87-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[3-hydroxy-4-(trifluoromethoxy)phenyl]- (CA INDEX
 NAME)




RN 908590-88-5 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[3-hydroxy-4-(methylthio)phenyl]- (CA INDEX NAME)




RN 908590-89-6 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3-hydroxy-4-methoxyphenyl)-N-methyl- (CA INDEX
 NAME)

10/574,788




RN 908590-90-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(3-hydroxyphenyl)-N-methyl- (CA INDEX NAME)



RN 908590-91-0 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[3-hydroxy-4-(trifluoromethoxy)phenyl]-N-methyl-
(CA INDEX NAME)



RN 908590-92-1 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[3-hydroxy-4-(methylthio)phenyl]-N-methyl- (CA
INDEX NAME)

10/574,788




RN 908590-93-2 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(3-hydroxy-4,5-dimethoxyphenyl)- (CA INDEX NAME)




RN 908590-94-3 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(2-bromo-5-hydroxyphenyl)-5-cyano- (CA INDEX NAME)




RN 908590-95-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-(difluoromethoxy)-3-hydroxyphenyl]- (CA INDEX NAME)




RN 908590-96-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-(3-hydroxy-4-methylphenyl)- (CA INDEX NAME)


RN 908590-97-6 CAPLUS

CN Hexanoic acid, 6-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenoxy]-, ethyl ester (CA INDEX NAME)




RN 908590-98-7 CAPLUS

CN Pentanoic acid, 5-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenoxy]-, ethyl ester (CA INDEX NAME)




RN 908590-99-8 CAPLUS

CN Pentanoic acid, 5-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenoxy]- (CA INDEX NAME)




RN 908591-00-4 CAPLUS

CN Hexanoic acid, 6-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenoxy]- (CA INDEX NAME)




RN 908591-01-5 CAPLUS

CN Butanoic acid, 4-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenoxy]-, ethyl ester (CA INDEX NAME)




RN 908591-02-6 CAPLUS

CN Butanoic acid, 4-[5-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-2-methoxyphenoxy]- (CA INDEX NAME)




RN 908591-03-7 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid, 3,6-diamino-5-cyano-4-(3-hydroxy-4-methoxyphenyl)-, methyl ester (CA INDEX NAME)




RN 908591-04-8 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid, 3,6-diamino-5-cyano-4-(3-hydroxyphenyl)-, methyl ester (CA INDEX NAME)




RN 908591-05-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3,6-diamino-5-cyano-4-[3-hydroxy-4-(trifluoromethoxy)phenyl]-, methyl
ester (CA INDEX NAME)




RN 908591-06-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3,6-diamino-5-cyano-4-[3-hydroxy-4-(methylthio)phenyl]-, methyl ester (CA
INDEX NAME)




RN 908591-07-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-(phenylmethoxy)phenyl]- (CA INDEX
NAME)




RN 908591-08-2 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-(2-methylphenyl)methoxy]phenyl]- (CA
INDEX NAME)




RN 908591-09-3 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-(3-methylphenyl)methoxy]phenyl]- (CA
INDEX NAME)




RN 908591-10-6 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-(4-methylphenyl)methoxy]phenyl]- (CA
INDEX NAME)




RN 908591-11-7 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[3-[(2-fluorophenyl)methoxy]-4-methoxyphenyl]- (CA
 INDEX NAME)



RN 908591-12-8 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[3-[(3-fluorophenyl)methoxy]-4-methoxyphenyl]- (CA
 INDEX NAME)




RN 908591-13-9 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[3-[(4-fluorophenyl)methoxy]-4-methoxyphenyl]- (CA
 INDEX NAME)




RN 908591-14-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[(2-chlorophenyl)methoxy]-4-methoxyphenyl]-5-cyano- (CA
INDEX NAME)




RN 908591-15-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[(3-chlorophenyl)methoxy]-4-methoxyphenyl]-5-cyano- (CA
INDEX NAME)




RN 908591-16-2 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-[3-[(4-chlorophenyl)methoxy]-4-methoxyphenyl]-5-cyano- (CA
INDEX NAME)




RN 908591-17-3 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[[2-(trifluoromethyl)phenyl]methoxy]phenyl]- (CA INDEX NAME)




RN 908591-18-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[[3-(trifluoromethyl)phenyl]methoxy]phenyl]- (CA INDEX NAME)




RN 908591-19-5 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-methoxy-3-[[4-(trifluoromethyl)phenyl]methoxy]phenyl]- (CA INDEX NAME)




RN 908591-20-8 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[4-methoxy-3-(2-phenylethoxy)phenyl]- (CA INDEX NAME)



RN 908591-21-9 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(2-methoxyphenyl)- (CA INDEX NAME)




RN 908591-22-0 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(2,4-dichlorophenyl)- (CA INDEX NAME)




RN 908591-23-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(3-chlorophenyl)-5-cyano- (CA INDEX NAME)



RN 908591-24-2 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(2-chlorophenyl)-5-cyano- (CA INDEX NAME)



L7 ANSWER 10 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:1273640 CAPLUS

DOCUMENT NUMBER: 144:63952

TITLE: New class of competitive inhibitor of bacterial histidine kinases

AUTHOR(S): Gilmour, Raymond; Foster, J. Estelle; Sheng, Qin; McClain, Jonathan R.; Riley, Anna; Sun, Pei-Ming; Ng, Wai-Leung; Yan, Dalai; Nicas, Thalia I.; Henry, Kenneth; Winkler, Malcolm E.

CORPORATE SOURCE: Eli Lilly and Company, Indianapolis, IN, 46285, USA

SOURCE: Journal of Bacteriology (2005), 187(23), 8196-8200

CODEN: JOBAAY; ISSN: 0021-9193

PUBLISHER: American Society for Microbiology

DOCUMENT TYPE: Journal
 LANGUAGE: English


AB Bacterial histidine kinases have been proposed as targets for the discovery of new antibiotics, yet few specific inhibitors of bacterial histidine kinases have been reported. We report here a novel thienopyridine (TEP) compound that inhibits bacterial histidine kinases competitively with respect to ATP but does not comparably inhibit mammalian serine/threonine kinases. Although it partitions into membranes and does not inhibit the growth of bacterial or mammalian cells, TEP could serve as a starting compound for a new class of histidine kinase inhibitors with antibacterial activity.

IT 332175-01-6

RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (thienopyridine compound is new class of competitive inhibitor of bacterial histidin kinase autophosphorylation)

RN 332175-01-6 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-N-(4-bromophenyl)-5-cyano-4-phenyl- (CA INDEX NAME)



REFERENCE COUNT: 48 THERE ARE 48 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 11 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:567123 CAPLUS

DOCUMENT NUMBER: 143:97338

TITLE: Preparation of
 3-amino-5-cyanothieno[2,3-b]pyridine-2-carboxamides as
 IKK2 inhibitors for the treatment of HBV infection
 INVENTOR(S): Chen, Huanming; Zhang, Weijian; Tam, Robert; Raney,
 Anneke K.

PATENT ASSIGNEE(S): Ribapharm, Inc., USA
 SOURCE: PCT Int. Appl., 45 pp.
 CODEN: PIXXD2

DOCUMENT TYPE: Patent
 LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005058315	A1	20050630	WO 2004-US41632	20041213
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,				

AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.:


US 2003-529160P

P 20031212


OTHER SOURCE(S):

CASREACT 143:97338; MARPAT 143:97338

GI



I



II

AB Title compds. I [wherein R = (un)substituted heterocycle, alkyl; R1, R2 = H, alkyl, arylamino; etc., with some limitations] were prepared as IKK2 inhibitors. For instance, piperidine-catalyzed cyclization of furan-2-carboxaldehyde, malononitrile and 2-cyanothioacetamide gave thiol II (67% yield), which underwent S-alkylation with 2-bromoacetamide (68% yield) followed by KOEt-mediated intramol. cyclization to afford I (R = furan-2-yl, R1 = R2 = H) (62% yield). This product showed activity in the IKK2 inhibition assay (IC50 > 10 μM) and HBV screening assay (EC50 = 1-10 μM). Therefore, the invented compds. and their pharmaceutical compns. are useful for treating Hepatitis B infection and other diseases.


IT 383156-16-9P, 3,6-Diamino-4-(4-chlorophenyl)-5-cyanothieno[2,3-b]pyridine-2-carboxamide 856175-14-9P, 3,6-Diamino-5-cyano-4-(3,4-dihydroxyphenyl)thieno[2,3-b]pyridine-2-carboxamide 856175-16-1P, 3,6-Diamino-5-cyano-4-(3,5-dimethoxyphenyl)thieno[2,3-b]pyridine-2-carboxamide 856175-17-2P, 4-(3,6-Diamino-2-carbamoyl-5-cyanothieno[2,3-b]pyridin-4-yl)benzoic acid 856175-18-3P, 4-(3,6-Diamino-2-carbamoyl-5-cyanothieno[2,3-b]pyridin-4-yl)benzoic acid methyl ester 856175-19-4P, 3,6-Diamino-4-(3-bromophenyl)-5-cyanothieno[2,3-b]pyridine-2-carboxamide 856175-21-8P, 3,6-Diamino-4-(3-fluorophenyl)-5-cyanothieno[2,3-b]pyridine-2-carboxamide 856175-22-9P, 3,6-Diamino-4-(4-trifluoromethylphenyl)-5-cyanothieno[2,3-b]pyridine-2-carboxamide 856175-24-1P, 3,6-Diamino-4-(4-cyanophenyl)-5-cyanothieno[2,3-b]pyridine-2-carboxamide 856175-25-2P, 3,6-Diamino-4-(4-fluorophenyl)-5-cyanothieno[2,3-b]pyridine-2-carboxamide 856175-27-4P, 3,6-Diamino-5-cyano-4-[3-[(3-(piperidin-1-yl)propionyl)amino]phenyl]thieno[2,3-b]pyridine-2-carboxamide RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(inhibitor; preparation of thienopyridinecarboxamides as IKK2 inhibitors for the treatment of HBV infection)


RN 383156-16-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(4-chlorophenyl)-5-cyano- (CA INDEX NAME)


10/574,788




RN 856175-14-9 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3,4-dichlorophenyl)- (CA INDEX NAME)



RN 856175-16-1 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3,4-dihydroxyphenyl)- (CA INDEX NAME)




RN 856175-17-2 CAPLUS
 CN Benzoic acid, 4-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]- (CA INDEX NAME)




RN 856175-18-3 CAPLUS

CN Benzoic acid, 4-[3,6-diamino-2-(aminocarbonyl)-5-cyanothieno[2,3-b]pyridin-4-yl]-, methyl ester (CA INDEX NAME)




RN 856175-19-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-4-(3-bromophenyl)-5-cyano- (CA INDEX NAME)




RN 856175-21-8 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-(3-fluorophenyl)- (CA INDEX NAME)




RN 856175-22-9 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[4-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 856175-24-1 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(4-cyanophenyl)- (CA INDEX NAME)



RN 856175-25-2 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(4-fluorophenyl)- (CA INDEX NAME)





RN 856175-27-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[3-[[1-oxo-3-(1-piperidinyl)propyl]amino]phenyl]-
 (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 12 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2005:482460 CAPLUS
 DOCUMENT NUMBER: 144:212685
 TITLE: Multicomponent synthesis of functionally substituted
 2-alkylthiopyridines and thieno[2,3-b]pyridines
 Dyachenko, V. D.; Krasnikov, D. A.
 AUTHOR(S): Nats. Pedagog. Univ. im. Tarasa Shevchenko, Luhansk,
 CORPORATE SOURCE: Ukraine
 SOURCE: Ukrainskii Khimicheskii Zhurnal (Russian Edition)
 (2005), 71(5-6), 86-92
 CODEN: UKZHAU; ISSN: 0041-6045
 PUBLISHER: Institut Obshchei i Neorganicheskoi Khimii im. V. I.
 Vernadskogo NAN Ukrainy
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 OTHER SOURCE(S): CASREACT 144:212685
 GI




AB Reactions of [aryl(heteroaryl)methylene]cyanothioacetamides
 R1CH:C(CN)C(S)NH2 (R1 = 2-furyl, Ph, 4-ClC6H4) with cyanoacetanilides
 NCCH2CONHR2 (R2 = 2-ClC6H4, 2-MeOC6H4) or cyanothioacetamide and
 functionalized alkyl halides R3CH2X (R3 = H2NCO, MeO2C, 4-BrC6H4CO,
 HC.tplbond.C, CN, etc.; X = Cl, Br, iodo) in the presence of N-Et
 morpholine were applied for synthesis of a series of
 2-alkylthio-6-amino-4-aryl(heteroaryl)-3,5-dicyanopyridines I and
 3,6-diamino-4-aryl(heteroaryl)-5-cyanothieno[2,3-b]pyridines II.

IT 383156-16-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (multicomponent preparation of functionally substituted
 (alkylthio) (amino)dicyanopyridines and
 diamino(cyano)thieno[2,3-b]pyridines from (cyano)thioacetamides,
 cyanoacetamides and functionalized alkyl halides)

RN 383156-16-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-4-(4-chlorophenyl)-5-cyano- (CA INDEX NAME)



L7 ANSWER 13 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:346859 CAPLUS

DOCUMENT NUMBER: 142:411342

TITLE: Preparation of pyridothiophene compounds as HSP90
 inhibitors

INVENTOR(S): Drysdale, Martin James; Dymock, Brian William;
 Barril-Alonso, Xavier

PATENT ASSIGNEE(S): Vernalis Cambridge Limited, UK

SOURCE: PCT Int. Appl., 38 pp.
 CODEN: PIXXD2

DOCUMENT TYPE: Patent



LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	----	-----	-----

WO 2005034950 A1 20050421 WO 2004-GB4216 20041005
 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
 EP 1680108 A1 20060719 EP 2004-768755 20041005
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
 US 20070213328 A1 20070913 US 2007-574788 20070119
 PRIORITY APPLN. INFO.: GB 2003-23810 A 20031010
 WO 2004-GB4216 W 20041005
 OTHER SOURCE(S): CASREACT 142:411342; MARPAT 142:411342
 GI




AB The title compds. I [R2 = (Arl)m(Alk1)p(Z)r(Alk2)sQ (wherein Ar1 = (un)substituted (hetero)aryl, Alk1, Alk2 = (un)substituted alkylene, alkenylene; m, p, r and s = 0-1; Z = O, S, CO, CS, etc.; Q = H, (un)substituted carbocyclic or heterocyclic; R3 = H, (un)substituted alkyl, (hetero)aryl, etc.; R4 = carboxylic ester, carboxamide or sulfonamide group], useful in therapy, particularly for the treatment of a disorder mediated by excessive or inappropriate HSP90 activity, were prepared E.g., a multi-step synthesis of II, starting from malononitrile and benzaldehyde, was given. The compound II showed IC50 of <10 μ M against HSP90 binding in fluorescence polarization assay. The pharmaceutical composition comprising the compound I is disclosed.

IT 208254-40-4P 331984-46-4P 342384-57-0P
 361178-59-8P 361477-78-3P 361478-09-3P
 369394-78-5P 369609-75-6P 383156-16-9P
 476319-10-5P 850448-55-4P 850448-56-5P
 850448-57-6P 850448-58-7P 850448-59-8P
 850448-60-1P 850448-61-2P 850448-62-3P
 850448-63-4P 850448-64-5P 850448-65-6P
 850448-66-7P 850448-67-8P 850448-68-9P
 850448-69-0P 850448-70-3P 850448-71-4P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of thienopyridines as HSP90 inhibitors)

10/574,788


RN 208254-40-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(4-bromophenyl)-5-cyano- (CA INDEX NAME)




RN 331984-46-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-4-phenyl- (CA INDEX NAME)



RN 342384-57-0 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N-(3-methoxyphenyl)-4-[4-(1-methylethyl)phenyl]- (CA INDEX NAME)




RN 361178-59-8 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-(1-methylethyl)phenyl]-N-2-thiazolyl- (CA INDEX NAME)


10/574,788



RN 361477-78-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(4-ethoxyphenyl)- (CA INDEX NAME)




RN 361478-09-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(3,4-dimethoxyphenyl)- (CA INDEX NAME)




RN 369394-78-5 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-[4-(1-methylethyl)phenyl]-N-(2-methylphenyl)- (CA
 INDEX NAME)

10/574,788




RN 369609-75-6 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(4-bromophenyl)-5-cyano-N-phenyl- (CA INDEX NAME)



RN 383156-16-9 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-4-(4-chlorophenyl)-5-cyano- (CA INDEX NAME)



RN 476319-10-5 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-[4-(1-methylethyl)phenyl]- (CA INDEX NAME)

10/574,788




RN 850448-55-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3,6-diamino-5-cyano-N-ethyl-4-phenyl-
(CA INDEX NAME)




RN 850448-56-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N-(1-methylethyl)-4-phenyl- (CA INDEX NAME)



RN 850448-57-6 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-4-phenyl-N-(phenylmethyl)- (CA INDEX NAME)




RN 850448-58-7 CAPLUS

10/574,788


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N,N-diethyl-4-phenyl- (CA INDEX NAME)




RN 850448-59-8 CAPLUS
CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N-methyl-4-phenyl- (CA INDEX NAME)



RN 850448-60-1 CAPLUS
CN Glycine, N-[(3,6-diamino-5-cyano-4-phenylthieno[2,3-b]pyridin-2-yl)carbonyl]-, methyl ester (CA INDEX NAME)




RN 850448-61-2 CAPLUS
CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-[(4-methyl-1-piperazinyl)carbonyl]-4-phenyl- (CA INDEX NAME)




10/574,788


RN 850448-62-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-N-[3-(dimethylamino)propyl]-4-phenyl- (CA INDEX NAME)




RN 850448-63-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-N-[3-(4-methyl-1-piperazinyl)propyl]-4-phenyl- (CA INDEX NAME)



RN 850448-64-5 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-N-[3-(4-morpholinyl)propyl]-4-phenyl- (CA INDEX NAME)




RN 850448-65-6 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3,6-diamino-2-(4-morpholinylcarbonyl)-4-phenyl- (CA INDEX NAME)



RN 850448-66-7 CAPLUS


10/574,788

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N-[2-(4-morpholinyl)ethyl]-4-phenyl- (CA INDEX NAME)




RN 850448-67-8 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-N-(2-amino-2-oxoethyl)-5-cyano-4-phenyl- (CA INDEX NAME)




RN 850448-68-9 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N-[2-(dimethylamino)ethyl]-4-phenyl- (CA INDEX NAME)



RN 850448-69-0 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3,6-diamino-5-cyano-N-(2-hydroxyethyl)-4-phenyl- (CA INDEX NAME)




RN 850448-70-3 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,

3,6-diamino-N-(2-aminoethyl)-5-cyano-4-phenyl- (CA INDEX NAME)




RN 850448-71-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3,6-diamino-5-cyano-4-[4-(1-methylethoxy)phenyl]-, methyl ester (CA INDEX NAME)IT 413606-58-3P, 3,6-Diamino-5-cyano-4-phenyl-thieno[2,3-b]pyridine-2-carboxylic acid ethyl ester 850448-72-5P,
3,6-Diamino-5-cyano-4-phenyl-thieno[2,3-b]pyridine-2-carboxylic acid
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of thienopyridines as HSP90 inhibitors)


RN 413606-58-3 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid, 3,6-diamino-5-cyano-4-phenyl-, ethyl ester (CA INDEX NAME)




RN 850448-72-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid, 3,6-diamino-5-cyano-4-phenyl- (CA INDEX NAME)




REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L7 ANSWER 14 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2004:1003588 CAPLUS
 DOCUMENT NUMBER: 143:266879
 TITLE: Pyridinethiones as precursors of thieno- and azolopyridines & pyridothieno-pyridoazoloazines
 Youssef, Ayman M. S.
 AUTHOR(S): Chemistry Department, Faculty of Science, Fayoum Branch, Cairo University, Egypt
 CORPORATE SOURCE: Mansoura Science Bulletin, A: Chemistry (2004), 31(1), 49-65
 SOURCE: CODEN: MSBCF4; ISSN: 1110-4562
 PUBLISHER: Mansoura University
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 143:266879
 GI




II



III



IV



V

AB 2-Mercapto-6-oxo-4-phenyl-1,2-dihydropyridine-3,5-dicarbonitrile (I) was reacted with an equimolar amount of bromomalononitrile to form 3-amino-5-oxo-7-phenyl-5H-thiazolo[3,2-a]pyridine-2,6,8-tricarbonitrile II. Compound II was reacted with malononitrile and Et cyanoacetate to give thiazolo[3,2-a:4,5-b]dipyridines III (R1 = CN, EtO2C). Reaction of II with carbon disulfide gave 4-imino-9-oxo-7-phenyl-1,2,4,9-tetrahydro-2-thioxopyrido[2',1':2,3]thiazolo[4,5-d][1,3]thiazine-6,8-dicarbonitrile. Cycloalkylation of I upon heating with chloroacetonitrile afforded 3-amino-6-oxo-4-phenyl-6,7-dihydrothieno[2,3-b]pyridine-2,5-dicarbonitrile

IV, which was converted into functionalized pyrido[3',2':4,5]thieno[3,2-d]pyrimidines on treatment with formic acid or formamide. Ethylation of I with Et iodide gave the corresponding S-Et derivative, which on treatment with hydrazine hydrate gave pyrazolo[3,4-b]pyridine-5-carbonitrile V (R2 = H2N). The latter was diazotized and coupled with naphthols or quinoline to afford the corresponding arylazo derivs. V (R2 = 4-hydroxynaphth-1-ylazo, 2-hydroxynaphth-1-ylazo, 5-quinolinylazo).


IT 141481-02-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of thienopyridines, pyridothienopyrimidines, pyrazolopyridines, pyridopyrazolopyrimidines and other polycyclic heterocycles from (dicyano)(mercapto)pyridone)

RN 141481-02-9 CAPLUS

CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile,
3-amino-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)




IT 863560-46-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of thienopyridines, pyridothienopyrimidines, pyrazolopyridines, pyridopyrazolopyrimidines and other polycyclic heterocycles from (dicyano)(mercapto)pyridone)

RN 863560-46-7 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3-amino-5-cyano-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)



REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 15 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN




ACCESSION NUMBER: 2001:643807 CAPLUS

DOCUMENT NUMBER: 135:357861

TITLE: Versatile starting materials for novel 1,0-bis(pyridin-4-ylphenoxy)alkanes, and their corresponding bis(thieno[2,3-b]pyridin-4-ylphenoxy) derivatives

AUTHOR(S): Abbas, Ashraf A.; Elneairy, Mohamed A. A.; Mabkhot, Yehia N.

CORPORATE SOURCE: Chemistry Department, Faculty of Sciences, Cairo University, Giza, Egypt
 SOURCE: Journal of Chemical Research, Synopses (2001), (4), 124-126, 0411-0427
 CODEN: JRPSDC; ISSN: 0308-2342
 PUBLISHER: Science Reviews Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 135:357861
 GI




AB A synthesis is described, starting from p-hydroxybenzaldehyde, of some new bis(activated styrene) derivs., e.g. I, and their conversion into novel bis(pyridin-4-yl) ethers, e.g. II, and bis(thieno[2,3-b]pyridine) derivs., e.g. III.


IT 372187-53-6P 372187-54-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of bis(pyridinylphenoxy)- and
 bis(thienopyridinylphenoxy)alkanes)

RN 372187-53-6 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3,6-diamino-5-cyano-4-(4-hydroxyphenyl)- (CA INDEX NAME)



RN 372187-54-7 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-5-cyano-4-(4-hydroxyphenyl)- (CA INDEX NAME)




REFERENCE COUNT: 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 16 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1999:79511 CAPLUS
 DOCUMENT NUMBER: 130:237502
 TITLE: Synthesis and recyclization of
 4-aryl-2,6-diamino-3,5-dicyano-4H-thiopyrans
 AUTHOR(S): Dyachenko, V. D.; Litvinov, V. P.
 CORPORATE SOURCE: Shevchenko Lugansk State Pedagogical Institute,
 Luhansk, Russia
 SOURCE: Russian Journal of Organic Chemistry (Translation of
 Zhurnal Organicheskoi Khimii) (1998), 34(4), 557-563
 CODEN: RJOCEQ; ISSN: 1070-4280
 PUBLISHER: MAIK Nauka/Interperiodica Publishing
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 130:237502
 AB Reaction of (arylmethylene)malononitriles with cyanothioacetamide or of
 arylmethylenecyanothioacetamides with malononitrile affords
 4-aryl-2,6-diamino-3,5-dicyano-4H-thiopyrans which were further recyclized
 into 6-amino-4-aryl-3,5-dicyanopyridine-2(1H)-thiones. On the basis of
 the latter compds., substituted 2-alkylthiopyridines and
 thieno[2,3-b]pyridines were prepared 4-Hydroxybenzalcyanothioacetamide
 reacts with α -bromo ketones by Hantzsch with the formation of
 thiazolyl-substituted acrylonitriles acylated with acetic anhydride at the
 OH group.
 IT 221179-10-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and cyclization of (aryl)diaminodicynanothiopyran derivs.)

RN 221179-10-8 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(3-bromobenzoyl)-4-(4-hydroxyphenyl)- (CA INDEX NAME)




IT 221179-09-5P 221179-11-9P 221179-12-0P
221179-13-1P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 221179-09-5 CAPLUS


CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(4-chlorobenzoyl)-4-(4-hydroxyphenyl)- (CA INDEX NAME)




RN 221179-11-9 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-([1,1'-biphenyl]-4-ylcarbonyl)-4-(4-hydroxyphenyl)- (CA INDEX NAME)


10/574,788



RN 221179-12-0 CAPLUS
CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-4-(4-hydroxyphenyl)-2-(4-methylbenzoyl)- (CA INDEX NAME)




RN 221179-13-1 CAPLUS
CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(3,4-dichlorobenzoyl)-4-(4-hydroxyphenyl)- (CA INDEX NAME)



REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 17 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1998:814730 CAPLUS

DOCUMENT NUMBER: 130:191419
 TITLE: Synthesis, antihistaminic and cytotoxic activity of pyridothieno- and pyridodithienotriazines
 AUTHOR(S): Quintela, Jose Maria; Peinador, Carlos; Veiga, Mari Carmen; Botana, Luis M.; Alfonso, Amparo; Riguera, Ricardo
 CORPORATE SOURCE: Departamento de Quimica Fundamental e Industrial, Facultad de Ciencias, Universidad de La Coruna, La Coruna, 15071, Spain
 SOURCE: European Journal of Medicinal Chemistry (1998), 33(11), 887-897
 CODEN: EJMCA5; ISSN: 0223-5234
 PUBLISHER: Editions Scientifiques et Medicales Elsevier
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB The synthesis of pyrido[3',2':4,5]thieno[3,2-d]-1,2,3-triazines and pyrido[3',2':4,5]dithieno[3,2-d]-1,2,3-triazines, and their inhibitory action on the release of histamine from rat mast cells under immunol. and chemical stimulus are presented. Some compds. are strong inhibitors under all the conditions tested while some are good inhibitor in all conditions except when it is preincubated with ovalbumin. Some compds. are good inhibitors in the immunol. expts. but are practically inactive under chemical stimulus. Some compds. show in vitro cytotoxic activity against several human and mouse tumoral cell lines with IC50 values well under 1 mg/mL.
 IT 157332-06-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation and antihistaminic and cytotoxic structure activity relations of pyridothieno- and pyridodithienotriazines)
 RN 157332-06-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3-amino-6-ethoxy-4-phenyl- (CA INDEX NAME)




REFERENCE COUNT: 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L7 ANSWER 18 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1998:737279 CAPLUS
 DOCUMENT NUMBER: 130:66466
 TITLE: Synthesis and antiallergic activity of pyridothienopyrimidines
 AUTHOR(S): Quintela, Jose M.; Peinador, Carlos; Veiga, Carmen; Gonzalez, Liliane; Botana, Luis M.; Alfonso, Amparo; Riguera, Ricardo
 CORPORATE SOURCE: Departamento de Quimica Fundamental e Industrial, Facultad de Ciencias, Universidad de La Coruna, La Couruna, 15071, Spain
 SOURCE: Bioorganic & Medicinal Chemistry (1998), 6(10), 1911-1925
 CODEN: BMECEP; ISSN: 0968-0896
 PUBLISHER: Elsevier Science Ltd.
 DOCUMENT TYPE: Journal

LANGUAGE: English


- AB The synthesis of a series of pyridothienopyrimidines and their evaluation as inhibitors or inducers of the release of histamine from rat mast cells is reported. The activity was measured after immunol. stimulation with ovalbumin and chemical stimulation with polymer 48/80 and the drugs adriamycin and vinorelbine. The expts. were carried out with and without preincubation of the stimulus with the cells before addition of the drug. Several pyridothienopyrimidines show inhibitory IC50 values in the range 2-25 μ M, indicating they are up to 100 times more potent than cromoglycate (DSCG) and 10 times greater than Ketotifen.
- 4-(4-Acetylphenyl)piperazino-7,9-diphenylpyrido[3',2':4,5]thieno[3,2-d]pyrimidine is a potent inhibitor in all the conditions tested and shows IC50=9-25 μ M. 2-Dimethylamino-4-piperazino-7,9-diphenylpyrido[3',2':4,5]thieno[3,2-d]pyrimidine is cytotoxic in vitro (IC50 = 0.1-0.2 μ g/mL) against P-388, A-549, HT-29, and MEL-28 tumor cell lines.
- IT 146630-15-1 157332-06-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (synthesis and antiallergic activity of pyridothienopyrimidines)
- RN 146630-15-1 CAPLUS
- CN Thieno[2,3-b]pyridine-2-carboxamide, 3-amino-5-cyano-6-ethoxy-4-phenyl- (CA INDEX NAME)




- RN 157332-06-4 CAPLUS
- CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3-amino-6-ethoxy-4-phenyl- (CA INDEX NAME)



- IT 217954-46-6P 217955-82-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (synthesis and antiallergic activity of pyridothienopyrimidines)
- RN 217954-46-6 CAPLUS
- CN Carbamimidic chloride, N'-(2,5-dicyano-6-ethoxy-4-phenylthieno[2,3-b]pyridin-3-yl)-N,N-dimethyl- (CA INDEX NAME)




RN 217955-82-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 5-cyano-3-[[dimethylamino)methyl]amino]-6-ethoxy-4-phenyl- (CA INDEX
 NAME)




REFERENCE COUNT: 42 THERE ARE 42 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 19 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1998:617964 CAPLUS
 DOCUMENT NUMBER: 129:275822
 ORIGINAL REFERENCE NO.: 129:56241a,56244a
 TITLE: Michael reaction in synthesis of
 6-amino-4-(4-butoxyphenyl)-3,5-dicyanopyridine-2(1H)-
 thione
 AUTHOR(S): Dyachenko, V. D.; Litvinov, V. P.
 CORPORATE SOURCE: T. G. Shevchenko Lugansk State Pedagogical Institute,
 Luhansk, 348011, Ukraine
 SOURCE: Chemistry of Heterocyclic Compounds (New
 York)(Translation of Khimiya Geterotsiklicheskikh
 Soedinenii) (1998), 34(2), 188-194
 CODEN: CHCCAL; ISSN: 0009-3122
 PUBLISHER: Consultants Bureau
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 129:275822
 AB The reaction of 4-butoxybenzalcyanoacetic ester with cyanothioacetamide
 yielded 6-amino-4-(4-butoxyphenyl)-3,5-dicyanopyridine-2(1H)-thione, also
 synthesized by recyclization of 2,6-diamino-4-(4-butoxyphenyl)-3,5-dicyano-
 4H-thiopyran and condensation of 4-butyloxybenzaldehyde with a 2-fold
 excess of cyanothioacetamide. Substituted 2-alkylthiopyridines and
 thieno[2,3-b]pyridines were obtained with the indicated pyridinethione.
 IT 214046-23-8P 214046-24-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 214046-23-8 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-4-(4-butoxyphenyl)-5-cyano-N-phenyl- (CA INDEX NAME)



RN 214046-24-9 CAPLUS

CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3,6-diamino-4-(4-butoxyphenyl)-
(CA INDEX NAME)REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 20 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1998:310476 CAPLUS

DOCUMENT NUMBER: 129:41055

ORIGINAL REFERENCE NO.: 129:8635a,8638a


TITLE: New route to 6-amino-4-aryl-3,5-dicyanopyridine-2(1H)-
thionesAUTHOR(S): Dyachenko, V. D.; Krivokolysko, S. G.; Sharanin, Yu.
A.; Litvinov, V. P.CORPORATE SOURCE: Zelinskii Institute of Organic Chemistry, Russian
Academy of Sciences, Moscow, 117913, RussiaSOURCE: Russian Journal of Organic Chemistry (Translation of
Zhurnal Organicheskoi Khimii) (1997), 33(7), 1014-1017
CODEN: RJOCEQ; ISSN: 1070-4280

PUBLISHER: MAIK Nauka/Interperiodica Publishing


DOCUMENT TYPE: Journal

LANGUAGE: English


GI




I



II



III



IV


AB Condensation of ArCHO [Ar = 3-FC₆H₄, 2,4-(EtO)₂C₆H₃, 4-BrC₆H₄, 4-O₂NC₆H₄, 3-FC₆H₄] with a twofold amount of N.tplbond.CCH₂C(:S)NH₂ gave the 4-aryldicyanopyridinethiones I. These compds. are also formed by cyclization of 2,6-diamino-4-aryl-3,5-dicyano-4H-thiopyrans II. The cyanopyridinethiones I were used to prepare substituted 2-(alkylthio)pyridines III (Z = 4-BrC₆H₄CO, cyano, CO₂ME, etc.) and thieno[2,3-b]pyridines IV (Z = 4-BrC₆H₄, 4-ClC₆H₄, CONH₂).

IT 208254-38-0P 208254-39-1P 208254-40-4P

RL: PNU (Preparation, unclassified); PREP (Preparation)
(preparation of aminoaryldicyanopyridinethiones)


RN 208254-38-0 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(4-bromobenzoyl)-4-(4-bromophenyl)- (CA INDEX NAME)




RN 208254-39-1 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-4-(4-bromophenyl)-2-(4-chlorobenzoyl)- (CA INDEX NAME)



RN 208254-40-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3,6-diamino-4-(4-bromophenyl)-5-cyano- (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 21 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1998:41363 CAPLUS

DOCUMENT NUMBER: 128:140584

ORIGINAL REFERENCE NO.: 128:27655a,27658a

TITLE: New method for the synthesis of
 6-amino-4-aryl-3,5-dicyano-3,4-dihydropyridine-2(1H)-
 thiones by recyclization of

4-aryl-2,6-diamino-4H-thiopyrans
 Dyachenko, V. D.; Krivokolysko, S. G.; Sharanin, Yu.
 A.; Litvinov, V. P.

CORPORATE SOURCE: T. G. Shevchenko Lugansk State Pedagogical Institute,
 Luhansk, 348011, Ukraine

SOURCE: Chemistry of Heterocyclic Compounds (New
 York) (Translation of Khimiya Geterotsiklicheskikh
 Soedinenii) (1998), Volume Date 1997, 33(7), 793-798
 CODEN: CHCCAL; ISSN: 0009-3122

PUBLISHER: Consultants Bureau

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Ammonium 6-amino-4-aryl-3,5-dicyano-1,4-dihydropyridine-2-thiolates were
 synthesized via recyclization of 4-aryl-2,6-diamino-3,5-dicyano-4H-
 thiopyrans in the presence of organic bases. On acidification of the
 products, the corresponding substituted 3,4-dihydro-2(1H)-pyridinethiones
 were obtained and used in the synthesis of

2-alkylthio-1,4-dihydropyridines, bis(2-pyridinyl)disulfides and thieno[2,3-b]pyridines.


IT 202405-75-2P 202405-76-3P 202405-77-4P

202405-78-5P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and reactions of amino(thio)pyridinedicarbonitriles)


RN 202405-75-2 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-benzoyl-4-(2-chlorophenyl)- (CA INDEX NAME)




RN 202405-76-3 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(4-bromobenzoyl)-4-(2-methylphenyl)- (CA INDEX NAME)




RN 202405-77-4 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-benzoyl-4-(2-methylphenyl)- (CA INDEX NAME)



RN 202405-78-5 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-4-(2-chlorophenyl)-2-(2,4-dimethylbenzoyl)- (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 22 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1997:295302 CAPLUS

DOCUMENT NUMBER: 126:305519

ORIGINAL REFERENCE NO.: 126:59179a,59182a

TITLE: Esters and nitriles of 3-phenylacrylic and 3-(2-furyl)acrylic acid in synthesis of 6-amino-3,5-dicyano-4-phenyl(or 2-furyl)pyridine-2(1H)-thiones and -selenones

AUTHOR(S): Krivokolyko, S. G.; Dyachenko, V. D.

CORPORATE SOURCE: Vostochno Ukr. Univ., Luhansk, Ukraine

SOURCE: Ukrainskii Khimicheskii Zhurnal (Russian Edition) (1996), 62(11-12), 61-66

CODEN: UKZHAU; ISSN: 0041-6045

PUBLISHER: Institut Obshchei i Neorganicheskoi Khimii NAN Ukrainy

DOCUMENT TYPE: Journal

LANGUAGE: Russian

OTHER SOURCE(S): CASREACT 126:305519


AB Reaction of esters and nitriles of 3-phenyl- and 3-(2-furyl)acrylic acid with cyanothio(seleno)acetamide leads to substituted 6-amino-3,5-dicyano-4-phenyl(2-furyl)pyridine-2(1H)-thiones and -selenones stabilized as the N-methylmorpholinium salts of 6-amino-3,5-dicyano-4-phenyl(2-furyl)pyridine-2(1H)-thiols and -selenols. These are converted to 2-(alkylthio)pyridines and thieno[2,3-b]pyridines.

IT 189278-44-2P 189278-46-4P 189278-50-0P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)


RN 189278-44-2 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile, 3,6-diamino-2-benzoyl-4-phenyl- (CA INDEX NAME)




RN 189278-46-4 CAPLUS


CN Thieno[2,3-b]pyridine-5-carbonitrile, 3,6-diamino-2-(4-chlorobenzoyl)-4-phenyl- (CA INDEX NAME)



RN 189278-50-0 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3,6-diamino-2-([1,1'-biphenyl]-4-ylcarbonyl)-4-phenyl- (CA INDEX NAME)




L7 ANSWER 23 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1996:86526 CAPLUS
 DOCUMENT NUMBER: 124:232284
 ORIGINAL REFERENCE NO.: 124:43031a,43034a
 TITLE: A synthesis for some new
 thieno[2,3-b:4,5-b']dipyridines
 AUTHOR(S): Veiga, Maria Carmen; Quintela, Jose Maria; Peinador,
 Carlos
 CORPORATE SOURCE: Faculty Ciencias, Univ. La Coruna, La Coruna, 15071,
 Spain
 SOURCE: Heterocycles (1996), 43(1), 91-100
 CODEN: HTCYAM; ISSN: 0385-5414
 PUBLISHER: Japan Institute of Heterocyclic Chemistry
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 124:232284
 AB An efficient method is proposed for the preparation of substituted
 thieno[2,3-b:4,5-b']dipyridines based on the Friedlaender synthesis of
 3-amino-5-cyano-7-ethoxy-2-formyl-4-phenylthieno[2,3-b]pyridine (1) with
 acyclic, cyclic, heterocyclic and α,β -unsatd. ketones. In
 addition, the reaction of 1 with guanidine sulfate yielded the fused
 triheterocyclic pyrido[3',2':4,5]-thieno[3,2-d]pyrimidine system.
 IT 157332-07-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (Friedlaender cyclization with ketones)
 RN 157332-07-5 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile, 3-amino-6-ethoxy-2-formyl-4-phenyl-
 (CA INDEX NAME)



L7 ANSWER 24 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1995:357584 CAPLUS
 DOCUMENT NUMBER: 122:214037
 ORIGINAL REFERENCE NO.: 122:39127a,39130a
 TITLE: Substituted 3-aminothieno[2,3-b]pyridine-2-carboxamide
 as a synthon for polyheterocyclic compounds.
 Preparation of new pyridothieno-1,2,3-triazines and
 related derivatives
 AUTHOR(S): Peinador, Carlos; Veiga, M. Carman; Ojea, Vicente;
 Quintela, Jose M.
 CORPORATE SOURCE: Fac. Cienc., Univ. La Coruna, La Coruna, E-15071,
 Spain
 SOURCE: Heterocycles (1995), 41(1), 37-46
 CODEN: HTCYAM; ISSN: 0385-5414
 PUBLISHER: Japan Institute of Heterocyclic Chemistry
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Pyrido[3',2':4,5]thieno[3,2-d]-1,2,3-triazines I (R = H, Me, CH₂COPh, CH₂CN) were synthesized from 3-aminothieno[2,3-b]pyridine by diazotization and subsequent treatment with electrophilic reagents. Reaction of triazinone I (R = H) with phosphorus oxychloride lead to a mixture of the triheterocyclic compound II and the 4-chloro substituted triazine. Aminolysis of II with either hydrazine or primary and secondary amines yielded thienopyridines, e.g. III. Nitrosation of III afforded the 4-substituted triazinone IV.
 IT 146630-15-1
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (substituted aminothienopyridinecarboxamide as a synthon for polyheterocyclic compds., preparation of new pyridothienotriazines and related derivs.)
 RN 146630-15-1 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide, 3-amino-5-cyano-6-ethoxy-4-phenyl-
 (CA INDEX NAME)




IT 161893-31-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(substituted aminothienopyridinecarboxamide as a synthon for polyheterocyclic compds., preparation of new pyridothienotriazines and related derivs.)

RN 161893-31-8 CAPLUS

CN 4H-Pyrido[3',2':4,5]thieno[3,2-d][1,3]oxazine-8-carbonitrile, 2-(3-amino-5-cyano-6-ethoxy-4-phenylthieno[2,3-b]pyridin-2-yl)-7-ethoxy-4-oxo-9-phenyl- (CA INDEX NAME)



IT 161893-33-0P 161893-34-1P 161893-35-2P

161893-38-5P 161893-39-6P 161893-40-9P

161893-41-0P 161893-42-1P 161893-43-2P


161893-44-3P 161893-45-4P

RL: SPN (Synthetic preparation); PREP (Preparation)

(substituted aminothienopyridinecarboxamide as a synthon for polyheterocyclic compds., preparation of new pyridothienotriazines and related derivs.)


RN 161893-33-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid, 3-[[[(3-amino-5-cyano-6-ethoxy-4-phenylthieno[2,3-b]pyridin-2-yl)carbonyl]amino]-5-cyano-6-ethoxy-4-phenyl-, hydrazide (CA INDEX NAME)




RN 161893-34-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carbonyl azide, 5-cyano-3-(8-cyano-7-ethoxy-4-oxo-9-phenylpyrido[3',2':4,5]thieno[3,2-d]-1,2,3-triazin-3(4H)-yl)-6-ethoxy-4-phenyl- (CA INDEX NAME)




RN 161893-35-2 CAPLUS

CN Pyrido[3',2':4,5]thieno[3,2-d]pyrimidine-8-carbonitrile,
3-[5-cyano-6-ethoxy-2-(1,3,4-oxadiazol-2-yl)-4-phenylthieno[2,3-b]pyridin-3-yl]-7-ethoxy-3,4-dihydro-4-oxo-9-phenyl- (CA INDEX NAME)




RN 161893-38-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3-[[[(3-amino-5-cyano-6-ethoxy-4-phenylthieno[2,3-b]pyridin-2-yl)carbonyl]amino]-5-cyano-6-ethoxy-4-phenyl-, 1-methylhydrazide (CA INDEX NAME)




RN 161893-39-6 CAPLUS


CN Thieno[2,3-b]pyridine-2-carboxamide,
3-amino-5-cyano-N-[5-cyano-6-ethoxy-2-[(methylamino)carbonyl]-4-phenylthieno[2,3-b]pyridin-3-yl]-6-ethoxy-4-phenyl- (CA INDEX NAME)




RN 161893-40-9 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3-amino-N-[(2-[(butylamino)carbonyl]-5-cyano-6-ethoxy-4-phenylthieno[2,3-
 b]pyridin-3-yl)-5-cyano-6-ethoxy-4-phenyl]- (CA INDEX NAME)




RN 161893-41-0 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3-amino-5-cyano-N-[(5-cyano-6-ethoxy-4-phenyl-2-
 [(phenylmethyl)amino]carbonyl]thieno[2,3-b]pyridin-3-yl)-6-ethoxy-4-
 phenyl]- (CA INDEX NAME)




RN 161893-42-1 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3-amino-5-cyano-N-[(5-cyano-6-ethoxy-4-phenyl-2-(1-
 piperidinyl)carbonyl]thieno[2,3-b]pyridin-3-yl)-6-ethoxy-4-phenyl]- (CA
 INDEX NAME)




RN 161893-43-2 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3-amino-5-cyano-N-[5-cyano-6-ethoxy-2-(4-morpholinylcarbonyl)-4-phenylthieno[2,3-b]pyridin-3-yl]-6-ethoxy-4-phenyl- (CA INDEX NAME)



RN 161893-44-3 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3-amino-5-cyano-N-[(4-methyl-1-piperazinyl)carbonyl]-4-phenylthieno[2,3-b]pyridin-3-yl)-6-ethoxy-4-phenyl- (CA INDEX NAME)



RN 161893-45-4 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3-[[3-[(3-amino-5-cyano-6-ethoxy-4-phenylthieno[2,3-b]pyridin-2-yl)carbonyl]amino]-5-cyano-6-ethoxy-4-phenyl-, ethyl ester (CA INDEX NAME)



L7 ANSWER 25 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1995:327947 CAPLUS

DOCUMENT NUMBER: 122:187341

ORIGINAL REFERENCE NO.: 122:34315a,34318a




TITLE: Nitrile cyclization reactions. LIV. Synthesis and properties of 6-amino-4-aryl-3,5-dicyanopyridin-2(1H)-ones, -thiones, -ylidenemalononitriles and their hydrogenated analogs

AUTHOR(S): Sharanin, Yu. A.; Krivokolysko, S. G.; Dyachenko, V. D.

CORPORATE SOURCE: Vostochnoukr. Univ., Luhansk, Ukraine
SOURCE: Zhurnal Organicheskoi Khimii (1994), 30(4), 581-7
CODEN: ZORKAE; ISSN: 0514-7492

PUBLISHER: Nauka
DOCUMENT TYPE: Journal
LANGUAGE: Russian

GI




AB RCH:C(CN)CSNH₂ (R = aryl, heteroaryl) reacted with NCCH₂C(X)NH₂ [X = O, S, C(CN)₂] to give, after acidification, products such as I and II. Also obtained were thienopyridines, e.g., III, and thiazolopyridinium triiodide IV.

IT 161689-62-9P 161689-65-2P 161689-66-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 161689-62-9 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(4-chlorobenzoyl)-4-(2-chlorophenyl)- (CA INDEX NAME)




RN 161689-65-2 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-benzoyl-4-(4-chlorophenyl)- (CA INDEX NAME)



RN 161689-66-3 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3,6-diamino-2-(4-chlorobenzoyl)-4-(2-iodophenyl)- (CA INDEX NAME)



L7 ANSWER 26 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1995:94186 CAPLUS

DOCUMENT NUMBER: 122:31452

ORIGINAL REFERENCE NO.: 122:6207a,6210a

TITLE: A ready entry to substituted derivatives of pyrido[3'',2'':4',5']thieno[2',3':5,6]pyrido[2,3-d]pyrimidines, a new tetraheterocyclic ring system
Peinador, Carlos; Veiga, M. Carmen; Ojea, Vicente; Quintela, Jose M.

AUTHOR(S):
CORPORATE SOURCE: Fac. Ciencias, Univ. La Coruna, La Coruna, E-15071, Spain

SOURCE: Heterocycles (1994), 38(9), 2065-72


CODEN: HTCYAM; ISSN: 0385-5414

DOCUMENT TYPE: Journal


LANGUAGE: English

OTHER SOURCE(S): CASREACT 122:31452

GI



I




II

AB Several 4-substituted pyrido[3'',2'':4',5']thieno[2',3':5,6]pyrido[2,3-d]pyrimidines [I; R = morpholino, piperidino, 4-benzylpiperazino, etc.] were prepared by reaction of the chloro derivative I [R = Cl] (preparation from the thienopyridinecarboxaldehyde derivative II with malononitrile and Cl₂N+Me₂Cl₁-given) with nucleophilic agents.

IT 157332-07-5

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with malononitrile)

RN 157332-07-5 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile, 3-amino-6-ethoxy-2-formyl-4-phenyl-
(CA INDEX NAME)

L7 ANSWER 27 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1994:557594 CAPLUS

DOCUMENT NUMBER: 121:157594

ORIGINAL REFERENCE NO.: 121:28533a,28536a

TITLE: An efficient iminophosphorane-mediated synthesis for pyrido[3',2':4,5]thieno[3,2-d]pyrimidine derivatives
 Peinador, Carlos; Moreira, Maria J.; Quintela, Jose M.
 Dep. Quim. Fundam. Ind., Fac. Cienc., La Coruna,
 E-15071, Spain

SOURCE: Tetrahedron (1994), 50(22), 6705-14


CODEN: TETRAB; ISSN: 0040-4020

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 121:157594

GI




AB A ready one-pot preparation for pyrido[3',2':4,5]thieno[3,2-d]pyrimidines bearing various substituents at position 2 of the pyrimidine ring is reported. The Wittig-type reaction of iminophosphoranes derived from the aldehyde I (R = NH₂, R₁ = CHO) with heterocumulenes leads to functionalized fused pyrimidines. Iminophosphoranes, 2-[(N-arylamino)methyl-3-(triphenylphosphoranylidene)amino]thieno[2,3-b]pyridines, I (R = N:PPh₃, R₁ = CH:NPh, CH:NC₆H₄Me-4, CH:NC₆H₄OMe-4) react with isocyanates, carbon dioxide and carbon disulfide under mild conditions to give the functionalized 2,3-dihydropyrido[3',2':4,5]thieno[3,2-d]pyrimidines II [X = NR₃, R₂ = Ph, 4-MeC₆H₄, 4-MeOC₆H₄, R₃ = Et, 4-ClC₆H₄, 4-FC₆H₄, 4-MeC₆H₄], and II (R₂ = same, X = O, S) resp.

IT 157332-07-5P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and reaction of, with aromatic amines)

RN 157332-07-5 CAPLUS


CN Thieno[2,3-b]pyridine-5-carbonitrile, 3-amino-6-ethoxy-2-formyl-4-phenyl-
(CA INDEX NAME)




IT 157332-09-7P 157332-15-5P 157332-16-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and reaction of, with heterocumulenes)
 RN 157332-09-7 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 6-ethoxy-4-phenyl-2-[(phenylimino)methyl]-3-
 [(triphenylphosphoranylidene)amino]- (CA INDEX NAME)



RN 157332-15-5 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 6-ethoxy-2-[[4-methylphenyl]imino]methyl]-4-phenyl-3-
 [(triphenylphosphoranylidene)amino]- (CA INDEX NAME)



RN 157332-16-6 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 6-ethoxy-2-[[4-methoxyphenyl]imino]methyl]-4-phenyl-3-
 [(triphenylphosphoranylidene)amino]- (CA INDEX NAME)




IT 157332-08-6P 157332-13-3P 157332-14-4P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT


(Reactant or reagent)

(preparation and reaction of, with triphenylphosphine, iminophosphorane by)


RN 157332-08-6 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3-amino-6-ethoxy-4-phenyl-2-[(phenylimino)methyl]- (CA INDEX NAME)

RN 157332-13-3 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
3-amino-6-ethoxy-2-[[4-methylphenyl]imino]methyl]-4-phenyl- (CA INDEX NAME)

RN 157332-14-4 CAPLUS


CN Thieno[2,3-b]pyridine-5-carbonitrile,
3-amino-6-ethoxy-2-[[4-methoxyphenyl]imino]methyl]-4-phenyl- (CA INDEX NAME)

IT 157332-06-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation and reduction of)

RN 157332-06-4 CAPLUS


CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile, 3-amino-6-ethoxy-4-phenyl- (CA INDEX NAME)




L7 ANSWER 28 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1994:533999 CAPLUS
 DOCUMENT NUMBER: 121:133999
 ORIGINAL REFERENCE NO.: 121:24225a,24228a
 TITLE: A synthesis of heterocyclic ring systems.
 Pyrido[3',2':4,5]thieno[2,3-b]pyrrolizine and
 pyrido[6',5':4,5][3',2':4,5]dithieno[2,3:b':2,3-
 b]dipyrrolizine
 AUTHOR(S): Peinador, Carlos; Veiga, M. Carmen; Vilar, Juan;
 Quintela, Jose M.
 CORPORATE SOURCE: Fac. Ciencias, Univ. de La Coruna, La Coruna, E-15071,
 Spain
 SOURCE: Heterocycles (1994), 38(6), 1299-305
 CODEN: HTCYAM; ISSN: 0385-5414
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 121:133999
 GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB A synthesis for two new polycyclic heterocyclic ring systems is reported.
 Cyclization of pyrrolidinocarbamide derivs. of Et
 3-(pyrrol-1-yl)thieno[2,3-b]pyridine-2-carboxylate I and Et
 3,5-di(pyrrol-1-yl)dithieno[3',2'-e:2,3-b]pyridine-2,6-dicarboxylate II
 afford iminium salts that were transformed into the new title
 heteropolycyclic compds. III and IV, resp.
 IT 157139-72-5P 157139-73-6P 157139-74-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and reaction of, in preparation of pyridothienopyrrolizine
 derivative)
 RN 157139-72-5 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 3-amino-5-cyano-6-ethoxy-4-phenyl-, ethyl ester (CA INDEX NAME)




RN 157139-73-6 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxylic acid,
 5-cyano-6-ethoxy-4-phenyl-3-(1H-pyrrol-1-yl)-, ethyl ester (CA INDEX
 NAME)



RN 157139-74-7 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
4-phenyl-6-(1-pyrrolidinyl)-2-(1-pyrrolidinylcarbonyl)-3-(1H-pyrrol-1-yl)-
(CA INDEX NAME)



L7 ANSWER 29 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1993:169065 CAPLUS

DOCUMENT NUMBER: 118:169065

ORIGINAL REFERENCE NO.: 118:29000h,29001a

TITLE: A convenient synthesis of some new
pyrido[3',2':4,5]thieno[3,2-d]pyrimidine derivatives
with potential biological activity

AUTHOR(S): Peinador, Carlos; Ojea, Vicente; Quintela, Jose M.
CORPORATE SOURCE: Fac. Cienc., Univ. La Coruna, La Coruna, E-15071,
Spain

SOURCE: Journal of Heterocyclic Chemistry (1992), 29(7),
1693-702





CODEN: JHTCAD; ISSN: 0022-152X

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 118:169065

GI




AB Ready, convenient synthesis of pyrido[3',2':4,5]thieno[3,2-d]pyrimidines I, II [R = ClCH₂, (un)substituted Ph], and III [R = (un)substituted Ph, R₁ = Cl] from 2-chloro-3,5-dicyano-6-ethoxy-4-phenylpyridine via aminocarboxamide IV are reported. In addition, the reaction of III (R = 2-O₂NC₆H₄, R₁ = NHH₂) with reagents such as formic acid and tri-Et orthoformate yielded the fused tetraheterocyclic 8-cyano-9-ethoxy-5-(2'-nitrophenyl)-7-phenylpyrido[3',2':4,5]thieno[2,3-e]-1,2,4-triazolo[4,3-c]pyrimidine.

IT 146630-15-1P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and cyclocondensation of, with aldehydes, pyridothienopyrimidines from)

RN 146630-15-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide, 3-amino-5-cyano-6-ethoxy-4-phenyl- (CA INDEX NAME)



L7 ANSWER 30 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1992:407883 CAPLUS

DOCUMENT NUMBER: 117:7883

ORIGINAL REFERENCE NO.: 117:1595a,1598a

TITLE:

Synthesis of new
 pyrido[3',2':4,5]thieno[3,2-d]pyrimidines and
 pyrazolylpyridines

AUTHOR(S): Mahgoub, S. A.; Badr, M. Z. A.; Abd El-Hafez, A. A. A.


CORPORATE SOURCE: Fac. Sci., Assiut Univ., Assiut, Egypt

SOURCE: Bulletin of the Faculty of Science, Assiut University
 (1991), 20(2), 43-53

CODEN: BSAUDW; ISSN: 0366-4740

DOCUMENT TYPE:
LANGUAGE:
GI

Journal
English




AB A variety of title compds., including, I and II, were prepared from 3,5-dicyano-6-mercapto-4-phenylpyridin-2(1H)one (III, R = H). Thus, III (R = H) was treated with ClCH₂CN and NaOAc in EtOH to give III (R = CH₂CN) which cyclized in the presence of NaOEt to give aminodicyanophenylthienopyridinone IV. HCONH₂ cyclocondensed with IV at 170° to give I.

IT 141481-02-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and cyclocondensation of, of carbon disulfide or formamide)

RN 141481-02-9 CAPLUS

CN Thieno[2,3-b]pyridine-2,5-dicarbonitrile,
3-amino-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)



L7 ANSWER 31 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1991:471531 CAPLUS

DOCUMENT NUMBER: 115:71531

ORIGINAL REFERENCE NO.: 115:12367a,12370a

TITLE: Synthesis and reactions of some new thieno[2,3-b]pyridines and the antimicrobial effects
AUTHOR(S): Badr, M. Z. A.; Mahgoub, S. A.; Abdel-Latif, F. F.; El-Hafez, A. A. A. Abd

CORPORATE SOURCE: Fac. Sci., Assiut Univ., Assiut, Egypt

SOURCE: Phosphorus, Sulfur and Silicon and the Related

Elements (1991), 55(1-4), 175-83

CODEN: PSSLEC; ISSN: 1042-6507

DOCUMENT TYPE:

Journal


LANGUAGE:

English

OTHER SOURCE(S):

CASREACT 115:71531

GI




AB Mercaptopyridone I (R = H) was converted into a variety of products I (R = CH₂COR₁; R₁ = OEt, NHH₂, NHHAc, NHHCONHPh, NHHCSNHPh, 3,5-dimethyl-1-pyrazolyl, NHN:CHR₂, NHR₃, Me, Ph, C₆H₄Br-4, C₆H₄Me-4; R₂ = Ph, 4-MeOC₆H₄, 4-O₂NC₆H₄; R₃ = Ph, 4-O₂NC₆H₄, 2-pyridyl) (II) by reactions with various electrophiles. II (R₁ = OEt, Me, NHR₃, Ph, 4-BrC₆H₄, 4-MeC₆H₄) were cyclized with NaOMe in EtOH to give the title thienopyridines III. III (R₁ = OEt) was converted to fused oxazine and pyrimidine derivs. IV (X = O, NH, NNH₂, NN:CHC₆H₄NO₂-4). Selected II and III were tested for bactericidal and fungicidal activity.

IT 135289-53-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and bactericidal and fungicidal activity of)

RN 135289-53-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3-amino-5-cyano-6,7-dihydro-6-oxo-N,4-diphenyl- (CA INDEX NAME)




IT 135289-57-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and cyclocondensation of, with acetic anhydride)

RN 135289-57-5 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,

3-amino-5-cyano-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)




IT 135289-54-2P 135289-55-3P 135289-56-4P

135289-68-8P 135289-69-9P 135289-70-2P


135320-36-4P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 135289-54-2 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
2-acetyl-3-amino-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)


RN 135289-55-3 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxamide,
3-amino-5-cyano-6,7-dihydro-N-(4-nitrophenyl)-6-oxo-4-phenyl- (CA INDEX
NAME)


RN 135289-56-4 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
5-cyano-3-(diacetylamino)-6,7-dihydro-6-oxo-4-phenyl-, ethyl ester (CA
INDEX NAME)


RN 135289-68-8 CAPLUS
 CN Thieno[2,3-b]pyridine-2-carboxamide,
 3-amino-5-cyano-6,7-dihydro-6-oxo-4-phenyl-N-2-pyridinyl- (CA INDEX NAME)




RN 135289-69-9 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3-amino-2-benzoyl-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)



RN 135289-70-2 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3-amino-2-(4-bromobenzoyl)-6,7-dihydro-6-oxo-4-phenyl- (CA INDEX NAME)




RN 135320-36-4 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3-amino-6,7-dihydro-2-(4-methylbenzoyl)-6-oxo-4-phenyl- (CA INDEX NAME)



IT 135289-52-0P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)

(preparation, reactions, and bactericidal and fungicidal activity of)

RN 135289-52-0 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3-amino-5-cyano-6,7-dihydro-6-oxo-4-phenyl-, ethyl ester (CA INDEX NAME)

L7 ANSWER 32 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1990:235207 CAPLUS

DOCUMENT NUMBER: 112:235207

ORIGINAL REFERENCE NO.: 112:39673a,39676a


TITLE: Novel synthesis of pyridin-2(1H)-thiones and
thieno[2,3-b]pyridines: reaction of ethoxymethylenes
with activated nitrilesAUTHOR(S): Elgemeie, Galal Eldin Hamza; Ramiz, Mahmoud Mohamed
MahfouzCORPORATE SOURCE: Chem. Dep., Fac. Sci., Bani Suef, Egypt
SOURCE: Phosphorus, Sulfur and Silicon and the Related
Elements (1989), 46(1-2), 95-8
CODEN: PSSLEC; ISSN: 1042-6507

DOCUMENT TYPE: Journal


LANGUAGE: English

OTHER SOURCE(S): CASREACT 112:235207


GI



I



II



III


AB RCOCR1:CHOEt (R = Ph, 4-MeOC6H4, Me; R1 = cyano, Ac, Bz, CO2Et)
cyclocondensed with NCCH2CSNH2 to give 35-55% cyanopyridinethiones I.
Alkylation of I with EtI-K2CO3 in DMF gave ethylthiopyridines II, whereas,
treating I with PhCOCH2Br and K2CO3 in DMF gave 75-90% thienopyridines
III.

IT 127236-35-5P 127236-42-4P


RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 127236-35-5 CAPLUS



CN Thieno[2,3-b]pyridine-5-carbonitrile, 3-amino-2-benzoyl-4-phenyl- (CA
INDEX NAME)



RN 127236-42-4 CAPLUS
 CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3-amino-2-benzoyl-4-(4-methoxyphenyl)- (CA INDEX NAME)



L7 ANSWER 33 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1987:4825 CAPLUS
 DOCUMENT NUMBER: 106:4825
 ORIGINAL REFERENCE NO.: 106:907a,910a
 TITLE: Condensed pyridines. 4. Michael reaction in the
 synthesis of substituted 3-cyanopyridine-2(1H)-thiones
 Sharanin, Yu. A.; Shestopalov, A. M.; Mortikov, V.
 AUTHOR(S): Yu.; Melenchuk, S. N.; Promononkov, V. K.; Zolotarev,
 B. M.; Litvinov, V. P.
 CORPORATE SOURCE: Inst. Org. Khim., Moscow, USSR
 SOURCE: Izvestiya Akademii Nauk SSSR, Seriya Khimicheskaya
 (1986), (1), 153-9
 CODEN: IASKA6; ISSN: 0002-3353
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 OTHER SOURCE(S): CASREACT 106:4825
 GI




AB Condensation of 4-RC6H4CH:C(CN)2 with NCCH2CSNH2 or 4-RC6H4CH:C(CN)CSNH2 with CH2(CN)2 in the presence of Et3N or piperidine gave (NC)2C:C(C6H4R-4)CH(CN)CSNH2 (R = H, Cl, F, Br) (all 4 prepared both ways). These condensed with ketones to give pyridinethiones I [R, R1, R2 = H, H, Me; H, Me, Me; H, H, 4-FC6H4; F, Me, Me; Cl, Ac, Me; Br (R1R2 =) (CH2)4]. Similarly prepared were pyridinethiones II (R, R1 = Cl, OH; Br, OH; Br, NH2).

IT 105648-25-7P 105648-26-8P
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)


RN 105648-25-7 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3-amino-2-benzoyl-4-(4-chlorophenyl)-6,7-dihydro-6-oxo- (CA INDEX NAME)



RN 105648-26-8 CAPLUS

CN Thieno[2,3-b]pyridine-5-carbonitrile,
 3-amino-2-benzoyl-4-(4-bromophenyl)-6,7-dihydro-6-oxo- (CA INDEX NAME)



L7 ANSWER 34 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1985:437345 CAPLUS

DOCUMENT NUMBER: 103:37345

ORIGINAL REFERENCE NO.: 103:6055a,6058a

TITLE: Reactivity of heterocyclic compounds. V. Behavior of 6-alkoxy-2-amino-(or chloro)-4-aryl-3,5-dicyanopyridines in the presence of nucleophiles

AUTHOR(S): Quintela, Jose Maria; Soto, Jose L.

CORPORATE SOURCE: Fac. Cienc. Quim., Univ. Complutense, Madrid, 28040, Spain

SOURCE: Anales de Quimica, Serie C: Quimica Organica y Bioquimica (1984), 80(3), 268-72

CODEN: AQSBD6; ISSN: 0211-1357





DOCUMENT TYPE:

Journal

LANGUAGE:

Spanish

GI




AB Methoxypyridine derivative I was treated with amines and Na alkoxides to yield II (R = substituted amino, alkoxy); diamines III (R1 = CH2CH2OH, Bu, PhCH2) were prepared from chloromethoxypyridine IV. I was stirred with HOCH2CH2NH2 24 h to give II (R = NHCH2CH2OH).

IT 97124-98-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 97124-98-6 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid,
3-amino-5-cyano-6-methoxy-4-phenyl-, ethyl ester (CA INDEX NAME)



L7 ANSWER 35 OF 35 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1984:174629 CAPLUS

DOCUMENT NUMBER: 100:174629

ORIGINAL REFERENCE NO.: 100:26557a,26560a

TITLE: Synthesis of heterocyclic compounds. XXXVII.
Preparation of

4,6-diaryl-1,2-dihydro-2-thioxo-3,5-
pyridinedicarbonitriles and related compounds
Rubio Encinas, Maria Jesus; Seoane, Carlos; Soto, Jose
L.

CORPORATE SOURCE: Fac. Cienc. Quim., Univ. Complutense, Madrid, Spain
SOURCE: Liebigs Annalen der Chemie (1984), (2), 213-22


CODEN: LACHDL; ISSN: 0170-2041

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 100:174629

GI




AB The reaction of $\text{NCCH}_2\text{CSNH}_2$ with α -benzoylcinnamonnitriles
 4- $\text{RC}_6\text{H}_4\text{CH}:\text{C}(\text{CN})\text{COPh}$ ($\text{R} = \text{H, Me, MeO, Cl, NO}_2$) in basic EtOH solution gave
 pyridinedicarbonitriles I and disulfides II. II reacted with $\text{HSCH}_2\text{CH}_2\text{OH}$
 to give I, which were reconverted to II by reaction with iodine-KI or
 $\text{Me}_2\text{SO-F}_3\text{CCO}_2\text{H}$. Methylation of I or II gave (methylthio)pyridines III. I
 ($\text{R} = \text{Ph}$) cyclocondensed with $\text{ClCH}_2\text{CO}_2\text{Et}$ to give thieno[2,3-b]pyridine IV.

IT 89736-80-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

RN 89736-80-1 CAPLUS

CN Thieno[2,3-b]pyridine-2-carboxylic acid, 3-amino-5-cyano-4,6-diphenyl-,
 methyl ester (CA INDEX NAME)



=>